

广东省的鸟类及考察历程

Richard W. Lewthwaite^① 邹发生^{②*}

① 香港观鸟会 香港; ② 广东省昆虫研究所/华南濒危动物研究所, 广东省野生动物保护与利用公共实验室

广州 510260

摘要: 广东位于中国大陆最南端, 北靠南岭山脉、东南面向南海, 生态环境多样, 鸟类种类丰富, 但至今没有广东鸟类的总名录, 既给广东鸟类保护与管理带来不便, 也使研究者对广东鸟类的详细分布地和发现时间无法了解。本文系统总结与整理了各个时期不同学者在广东境内开展的鸟类调查记录。

William Heine于1853年4月在广州获得金斑鸻(*Pluvialis fulva*)和针尾沙锥(*Gallinago stenura*)的标本, 并由John Cassin于1856报道, 开启了采集与记录广东鸟类的序幕。从此以后, Robert Swinhoe于1860至1873年间发表了记录广东沿岸鸟类的一系列论文。之后, John David Digues La Touche和Johannes Streich报道汕头的鸟类, Robert Vaughan 和Kenneth Hurlstone Jones报道西江的鸟类, Rufolf Mell报道广东山区的鸟类, 以及Pierre Jabouille 报道了广东南部湛江的鸟类。到目前为止, 全省共有野生鸟类555种, 其中25种鸟有1个以上的亚种在广东分布; 本文标注了每种鸟第1次报道的参考文献, 以供将来的研究者参考与查阅。在这些鸟类中, 在广东繁殖的鸟有297种, 并且以东洋界的种类最多, 达211种, 占繁殖鸟类比例的71.0%, 古北界和广布种分别有25种和35种, 占8.4%和11.8%。广东与广西繁殖鸟类种的相似性高于广东与海南岛繁殖鸟类种的相似性。迁徙鸟类是广东鸟类的主要类群, 共有277种, 占50.0%, 而留鸟仅150种, 占27.0%, 另有128种鸟(占23.0%)在广东既有迁徙的, 也有长年定居于此的。广东是迁徙鸟类重要的越冬地, 而且是全球濒危鸟种黑脸琵鹭(*Platalea minor*)第2个主要越冬地。由于受饮食文化的影响, 黄胸鹀(*Emberiza aureola*)被非法猎捕并且被食用, 使其种群数量大大下降, 其中, 广东地区是受影响较严重的地区。

关键词: 鸟类; 名录; 广东; 区系

中图分类号: Q958 文献标识码: A 文章编号: 0250-3263 (2015) 04-499-19

A Checklist of the Birds of Guangdong with Notes on Its Ornithological Exploration

Richard W. Lewthwaite^① ZOU Fa-Sheng^{②*}

① Hong Kong Bird Watching Society, Hong Kong; ② Guangdong Entomological Institute / South China Institute of Endangered Animals, Guangdong Public Laboratory of Wild Animal Conservation and Utilization, Guangzhou 510260, China

基金项目 国家自然科学基金项目(No. 31172067), 广东省计划项目(No. 2011B031100004);

* 通讯作者, E-mail: zoufs@gdei.gd.cn;

第一作者介绍 Richard W. Lewthwaite, 男, 香港观鸟会记录委员会成员; 研究方向: 华南鸟类分布; E-mail: myrlvp@gmail.com。

收稿日期: 2014-11-14, 修回日期: 2015-04-01 DOI: 10.13859/j.cjz.201504002

Abstract: Guangdong is the southernmost province in continental China, bordered to the north by the Nanling mountains and to the south by the South China Sea. As a result of heterogeneous ecological conditions, a diverse avifauna has developed. However, the lack of a modern checklist of birds has hampered wildlife conservation management and scientific research in the province. To redress this situation, we provide a checklist of the birds of Guangdong which follows a modern taxonomy and is based on original bird records from Chinese and foreign publications as well as previously unpublished records. Only species which have been reliably recorded are included. For each species and subspecies, a reference is given to the first record for the province involving a bird or birds of known wild origins. Taxonomic treatment, spelling of scientific names and sequence of species follow the International Ornithologists' Committee World Bird List (version 4.2). Chinese bird names are taken from the China Bird Report Checklist of Birds of China (version 3.0). Seasonality is indicated by the following descriptors: resident, summer visitor, winter visitor, passage migrant, with one descriptor used for the majority of species, and two or more for species whose seasonality is complex (for example, a species which breeds in the interior of the province and occurs on passage or in winter on the coast). A total of 555 species are listed, comprising 547 of wild origins and 8 of ex-captive origins which may have self-sustaining populations; among the naturally-occurring species are 25 which are represented by more than one subspecies. A total of 297 species are believed to breed either regularly or occasionally in the province, including 26 which are unassigned to realm; of the remainder, 211 (71.0%) belong to the Oriental realm, 25 (8.4%) to the Palearctic realm, and 35 (11.8%) are widely distributed. The composition of breeding species in the province is closer to that of Guangxi than to Hainan Island. Migratory species account for 50.0% and resident species only 27.0% of the total. Guangdong is a key wintering site for migratory bird species, particularly for some endangered species, such as Black-faced Spoonbill (*Platalea minor*) and Yellow-breasted Bunting (*Emberiza aureola*). In the case of the former, a substantial proportion of its population winters on the Guangdong coast, whilst the latter has entered a steep decline in the past 10 years as a result of illegal trapping fuelled by food culture. We also outline the early ornithological exploration of the province. Examples of pacific golden plover (*Pluvialis fulva*) and pintail snipe (*Gallinago stenura*) obtained by William Heine at Guangzhou in April 1853 stand as the first records of wild birds of known origin. The major contribution to the study of the birds of Guangdong, however, was made by Robert Swinhoe in a series of papers and letters published between 1860 and 1873. Swinhoe mainly studied birds of the coast. Following studies at Shantou and in nearby hills during the years 1887 - 1902, first by John David Digues La Touche and later by Johannes Streich, ornithological coverage of the province subsequently widened. Robert Vaughan and Kenneth Hurlstone Jones studied migrants and nesting behaviour along the West River in the early 1900s, Rudolf Mell spent long periods in the mountainous interior of the province between 1915 and 1920, and in 1930 a team of researchers led by S.S. Sin ventured into areas that Mell had been unable to reach due to the problem of bandits. Further studies were made at Zhanjiang in 1932 - 1933 by the French ornithologist Pierre Jabouille and at Guangzhou through the 1930s by various researchers affiliated to Lingnan University.

Key words: Bird; Checklist; Guangdong; Avifauna

我国不少省份出版了鸟类志，如《贵州鸟类志》(吴至康等 1986)、《云南鸟类志》(杨岚

1995, 杨岚等 2004) 等。有些省份出版了动物志鸟类分册，如《浙江省动物志 鸟类》(诸葛

阳 1990)等。虽然华南濒危动物研究所(1991)主编了《广东鸟类彩色图鉴》，但书中列举的鸟类种类有限，而且其中包括了海南岛的种类，从该书中查阅广东鸟类记录的所得信息非常困难。

广东省地处中国大陆最南部。东邻福建，北接江西、湖南，西连广西，南临南海，珠江口东西两侧分别与香港、澳门特别行政区接壤，西南部雷州半岛隔琼州海峡与海南省相望。全境位于 $20^{\circ}09' \sim 25^{\circ}31'N$ 和 $109^{\circ}45' \sim 117^{\circ}20'E$ 之间，东西跨度约 800 km，南北跨度约 600 km。北回归线从南澳 - 从化 - 封开一线横贯广东。全省陆地面积为 179 700 km²，其中岛屿面积 1 448 km²，全省沿海有面积 500 m² 以上的岛屿 759 个，数量仅次于浙江、福建两省，居全国第三位。全省大陆岸线长 3 368.1 km，居全国第一位(www.gd.gov.cn)。位于广东北部的南岭山脉对广东的气候影响大，独特的地理环境和气候造就了丰富多样的鸟类，南岭地区是我国 14 个具有国际意义的陆地生物多样性关键地区之一(陈灵芝 1993)。生物多样性是一个国家实现可持续发展和涉及国家安全的战略资源，而厘清一个地区的物种是有效保护生物多样性的基础。但由于缺乏比较完整的、系统的鸟类名录，广东省的鸟类种类统计没有确切数据，严重影响着该地区鸟类研究的深入开展以及鸟类保护工作。所以本名录对今后广东省的鸟类多样性保护与研究有帮助和参考价值。

1 研究方法

本文收集的鸟类种类多数以正式发表的文献为准，少数种类是资深观鸟者提供的数据(有 2 名以上的人证实)，全部给出每种鸟在广东最先报道的参考文献，同时重点参考了郑作新(1976)、Cheng(1987)、赵正阶(2001a, b)、Dickinson(2003)、郑光美(2005, 2011)等著作和 Gill 等(2014)整理的世界鸟类名录，以及《中国动物志》鸟纲第五卷(王岐山等 2006)、第十卷(郑作新等 1995)、第十一卷(郑

作新等 1987)和第十二卷(郑作新等 2010)。中文名称参考了中国观鸟年报(2013)编辑的《中国鸟类名录》(3.0 版)，鸟类的分类系统及属名的变化基本以 Gill 等(2014)的“IOC World Bird List (v 4.2)”为准，如鹰雕(*Nisaetus nipalensis*)的属名用了*Nisaetus*而非*Spizaetus*，红嘴鸥(*Chroicocephalus ridibundus*)和黑嘴鸥(*C. saundersi*)的属名用*Chroicocephalus*而非*Larus*，几种山雀也用了不同的属名，如黄腹山雀(*Perdaliiparus venustulus*)、杂色山雀(*Sittiparus varius*)、黄颊山雀(*Machlolophus spilonotus*)等(附录)，之所以这样做是因为这两个名录提供了最新的研究结果，尤其是分子系统数据的最新成果。鸟类的区系划分主要依据郑作新(1976)的《中国鸟类分布名录》和张荣祖(1999)的《中国动物地理》，并且仅对在广东繁殖的 297 种鸟(包括留鸟、夏候鸟以及含留鸟和夏候鸟的复合型)的区系进行分析(杨岚等 2004)，同一个种的不同亚种不再细分(附录)。鸟类的居留型分为留鸟(R)、冬候鸟(W)、夏候鸟(S)和迁徙过境鸟(P)，在文中，如果鸟种含两种以上迁徙类型，则称混合迁徙型，如果是留鸟或者夏候鸟与其他居留型混合则称复合型。鸟类迁徙和居留型分析也仅在种的水平上，不再区分亚种。如红角鸮(*Otus sunia*)有 2 个亚种在广东分布，即 *O. s. malayanus* 和 *O. s. stictonotus*，前者在广东是留鸟，后者是迁徙过境鸟或者冬候鸟，那么红角鸮的区系，因为有留鸟的成分，定为广布种，其居留型定为复合型(R/P/W)。广西的鸟类数据来自于周放等(2011)编著的《广西陆生脊椎动物分布名录》，海南岛鸟类数据用广东省昆虫研究所动物室等(1983)著的《海南岛鸟兽》。广东、广西和海南岛繁殖鸟类种的相似性百分比计算用公式：两地相似性百分比 = [(两地相同鸟种数量 × 2) / (甲地鸟种数量 + 乙地鸟种数量)] × 100。

2 研究结果

2.1 种类

广东省共记录到野生鸟类 555 种，其中 25 种鸟有 1 个以上的亚种。原鸽 (*Columba livia*) 等 8 种鸟原本不布于广东，是广东地区典型的笼养鸟，但它们在野外已经建立野生种群，所以也把它们列入广东省的野生鸟类名单（附录）。乌灰鹞 (*Circus pygargus*) 等 21 个鸟种因为分布范围距广东较远，分布区不在广东，或者因为野外分辨困难等原因，造成误认（王岐山等 2006, 郑作新等 2010），我们未将其列入广东省的鸟类名录中（表 1）。

2.2 不同作者和不同时间记录的鸟种

共有 55 位个人或者团队对广东明确有分布的 555 种野生鸟类提供了记录名单（附录）。其中，记录鸟种最多的个人是 Robert Swinhoe，共记录 134 种和 2 个亚种；其次是 John Digues de La Touche，他记录了 120 种和 7 个亚种；再次是 Rudolf Mell，记录了 70 种和 1 个亚种； Robert Vaughan 和 Kenneth Hurlstone Jones 也记录了 42 种和 2 个亚种； Richard W. Lewthwaite 记录了 33 种和 1 个亚种。其他人员的记录见附录。

表 1 已出版文献中记载有分布，但是错误记录的鸟种

Table 1 Species for which all published Guangdong records are regarded as doubtful due to the possibility of mistaken identification

物种 Species	文献来源 References	记录地点 Location
乌灰鹞 <i>Circus pygargus</i>	Vaughan et al. 1913	北江 North River
红脚斑秧鸡 <i>Rallina fasciata</i>	黄石林等 2003	车八岭 Chebaling
小鸥 <i>Larus minutus</i>	孙泽伟等 2005	潮州和汕头 Chaozhou and Shantou
小凤头燕鸥 <i>Thalasseus bengalensis</i>	Vaughan et al. 1913	广东沿海 Coast of Guangdong
黑浮鸥 <i>Chlidonias niger</i>	孙泽伟等 2005	潮州和汕头 Chaozhou and Shantou
毛腿沙鸡 <i>Syrrhaptes paradoxus</i>	张彤等 2003	珠海 Zhuhai
栗头蜂虎 <i>Merops leschenaulti</i>	黄石林等 2003	车八岭 Chebaling
白喉扇尾鹟 <i>Rhipidura albicollis</i>	郑作新 1976	广东 Guangdong
黑头鹀 <i>Pycnonotus atriceps</i>	张彤等 2003	珠海 Zhuhai
叽喳柳莺 <i>Phylloscopus collybita</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang
黄腹柳莺 <i>P. affinis</i>	张彤等 2003	珠海 Zhuhai
暗绿柳莺 <i>P. trochiloides</i>	郑孜文等 2008	广州 Guangzhou
细纹苇莺 <i>Acrocephalus sorghophilus</i>	郑孜文等 2008	广州 Guangzhou
稻田苇莺 <i>A. agricola</i>	郑孜文等 2008	广州 Guangzhou
长嘴钩嘴鹛 <i>Pomatorhinus hypoleucus</i>	黄石林等 2003	车八岭 Chebaling
褐脸雀鹛 <i>Alcippe poioicephala</i>	KFBG 2003	南岭 Nanling
褐头凤鹛 <i>Yuhina brunneiceps</i>	黄石林等 2003	车八岭 Chebaling
红翅旋壁雀 <i>Tichodroma muraria</i>	Mell 1922	英德 Yingde
斑椋鸟 <i>Gracupica contra</i>	郑孜文等 2008	广州 Guangzhou
粉红胸鹨 <i>Anthus roseatus</i>	郑孜文等 2008	广州 Guangzhou
苇鹀 <i>Emberiza pallasi</i>	罗斯特等 2011	揭阳 Jieyang

从广东鸟类的记录时间看, 第1次记录在1856年。如果把从1856到2014年划分为4个阶段, 以19世纪记录的种类最多, 达260种, 其次是1901年至1950年间, 共记录到163种, 这两个阶段多为外国学者所记录。但在1950~2000年间以及2000年后两个时期, 分别记录到75种和57种, 说明随着调查的深入, 广东还有不少新纪录被发现。

2.3 广东鸟类的区系

在297种繁殖鸟类中, 有26种鸟类的区系难以归类。其他271种鸟的区系状况是: 属东洋界的鸟211种, 占71.0%; 属古北界的鸟25种, 仅占8.4%; 广布种35种, 占11.8%。可见, 广东地区的鸟类区系以东洋界鸟类为主。

2.4 广东鸟类的迁徙状况

在555种野生鸟类中, 留鸟有150种, 占27.0%; 复合型128种, 占23.1%; 迁徙鸟类277种, 占49.9%, 这其中, 迁徙过境鸟74种, 占26.7%, 冬候鸟80种, 占28.9%, 夏候鸟27种, 占9.7%, 混合迁徙型鸟类96种, 占34.7% (附录)。

3 讨论

3.1 广东鸟类调查历史

有文字记载最早记录广东鸟类的是John Cassin (1856), 他在到日本的Perry Expedition途中从William Heine获得广东标本, 报道了广州的2个鸟种, 即金斑鸻 (*Pluvialis fulva*) 和针尾沙锥 (*Gallinago stenura*)。之前虽然也有一些外国人在广州采集标本, 但由于没有指名记录者, 无法证实其真实性 (Cheng 1987)。

Robert Swinhoe是记录中国鸟类成果最多的外国鸟类学家, 他出生于1836年, 17岁进入了英国外事服务部, 被派到香港作咨询官 (Collar 2004)。在19世纪60年代, 他多次来到广州、汕头 (“Swatow”) 和雷州半岛等地区。在1857~1872年间, 他记录了广东鸟类136种和亚种, 其中大鵟 (*Buteo hemilasius*) 在他之后没有其他人再次在广东记录到 (Swinhoe 1860,

1861a, b, 1863a, b, 1864, 1865a, b, 1866, 1867, 1869, 1870a, b, c, 1871, 1873)。

记录广东鸟类另一个重要人物是John Digues de La Touche。他出生于法国, 任职于海关, 在汕头的两年间 (1887~1889年), 记录了当地222个鸟种, 其中127种是广东鸟类种或亚种的新纪录 (Slater 1891, La Touche 1892), 包括后来在广东一直没有再发现的短尾信天翁 (*Phoebastria albatrus*)。在John Digues de La Touche离开后的1889~1902年间, Johannes Streich 在汕头记录到141种鸟类, 其中10个种是新纪录, 包括从那以后再也没有在广东发现的白额雁 (*Anser albifrons*) (Streich 1903)。

在20世纪早期 (1901~1908年), 两个英国海军官员Robert Vaughan和Kenneth Hurlstone Jones在珠江口和西江的水道上巡逻期间, 调查了沙浦 (Shapu, 靠近三水) 和鼎湖山的森林鸟类, 在*Ibis*上发表了264种广东鸟类的调查报告, 包括42种鸟类新纪录和64种鸟的繁殖数据, 也包括后来没有再发现的3个种或亚种, 即红尾伯劳 (*Lanius cristatus superciliosus*)、秃鼻乌鸦 (*Corvus frugilegus*) 和金眼鹛雀 (*Chrysomma sinense*) (Vaughan et al. 1913)。在1915~1921年期间, Rudolf Mell在韶关进行了植物、昆虫、两栖类、爬行类、鸟类和哺乳类的广泛调查, 调查地点包括仁化的万时山 (Manshishan)、丹霞山、小坑、枫湾, 龙头山和罗浮山。共为321种鸟提供了原始数据, 其中70种是新纪录, 包括后来没有再观察到的3个种 (或亚种), 即赤翡翠 (*Halcyon coromanda*)、白鹡鸰 (*Motacilla alba baicalensis*) 和褐灰雀 (*Pyrrhula nipalensis*)

(Mell 1922, Stresemann 1922, 1923)。在1930年, 中山大学调查队对韶关森林鸟类进行了深入调查, 记录到160种鸟, 其中15个新纪录种 (Yen 1932)。Pierre Jabouille于1932~1933年间, 在湛江的东海岛、南山和硇洲岛记录到180种鸟类, 包括17个新纪录种, 其中3种 (或亚种) 后来没有再在广东记录到, 即歌百灵 (*Mirafra javanica*)、白鹡鸰 (*M. a. alboides*) 和灰头鹀

(*Emberiza spodocephala sordida*) (Jabouille 1935)。

在20世纪30年代和40年代早期，一些学者调查了广州岭南大学校园鸟类 (Miller 1930, 1931a, b, Gressit 1940a, b, Davies 1941, Gressit et al. 1942, Udagawa 1944)。从20世纪50年代中期到现在，中山大学、华南濒危动物研究所、汕头大学、香港嘉道理农场和中国鸟类学会、香港观鸟会及深圳观鸟会的成员陆续对广东开展了调查。详细的名录见附录。

3.2 加强鸟类的居留状况研究

广东省的海岸线长 3 368.1 km，居全国第一位，河流众多。全国第三大河——珠江在广东境内从珠江口出海，孕育了广阔的滩涂。北部的南岭山脉最高峰达 1 900 多米。复杂的地理环境为鸟类提供了不同类型的栖息地，吸引着众多的迁徙鸟种，在广东长年居留的鸟 150 种，仅占鸟类总种数的 27.0%。丰富的栖息地类型导致了鸟类居留状况的复杂性，同一种鸟在北部山地可能是留鸟或者夏候鸟，但在沿海地区可能是冬候鸟或者迁徙过境鸟；在同一地区，一些个体是迁徙的，另一些个体是长年居留的。根据我们的调查，对一些种的迁徙居留状况举例如下：夜鹭 (*Nycticorax nycticorax*) 在东部海丰是夏候鸟，在广州南沙全年可见，在深圳虽然全年可见，但以冬季数量最多，说明有些个体冬季迁来越冬，所以在附录中，夜鹭的居留型标注成“R/S/W”。鹗 (*Pandion haliaetus*)，在湛江是冬候鸟，在深圳是过境鸟，而在汕头有繁殖记录，所以在附录中的居留型标注成“W/P/S”。

另外在广东的迁徙鸟类中，黑脸琵鹭 (*Platalea minor*) 列入全球濒危鸟类，自 1993 年开始，每年监测其种群数量。2014 年在全球 62 个调查点开展了同步调查，记录到黑脸琵鹭 2 726 只，分布在中国大陆、台湾、香港、澳门、日本、韩国和越南等 7 个国家或地区。数量最多的地区是台湾，占总数量的 61%，在广东有两个重要的黑脸琵鹭越冬地，即深圳和香港间

的后海湾和海丰，在前者记录到 252 只，后者 128 只，是除台湾地区外记录黑脸琵鹭数量最多的两个地点 (香港观鸟会 2014)。黄胸鹀 (*E. aureola*) 有 2 个亚种，即 *E. a. aureola* 和 *E. a. ornata*，并且在广东均有分布，越冬期栖息于农田和灌丛。尽管黄胸鹀分布广泛，但近年来其种群数量急剧下降，2004 年被 BirdLife International 列入近危种，2008 年升级为易危种，2013 年提升到濒危种。致危的一个重要原因是因为野外捕捉并用来食用，在以广东为主的华南地区尤其严重 (BirdLife International 2013)。从黑脸琵鹭和黄胸鹀的例子看，广东是迁徙鸟类保护的重要阵地。所以，无论从鸟类的迁徙规律研究，还是从迁徙鸟类的保护角度，在广东，今后加强迁徙鸟类的研究非常重要。

3.3 广东与广西和海南繁殖鸟类种的相似性比较

依动物地理区划，广东省的鸟类区系属于东洋界华中区的东部丘陵亚区和东洋界华南区的闽广沿海亚区。这两个亚区涉及的地区包括安徽、浙江、江西、湖南、福建、台湾、广东、广西和云南等 (郑作新等 1959)。由于这些地区要么没有完整的鸟类名录，如江西、湖南、福建，或者有名录，但一个地区跨多个动物地理亚区，如云南，所以，这里仅比较广东与广西和广东与海南的繁殖鸟类相似性。广东地区的鸟类区系以东洋界鸟类为主 (71.0%)，广布种和古北界种占的比例小。海南岛繁殖鸟类中东洋界种占 80% 以上，古北界种不足 4% (广东省昆虫研究所动物室等 1983)，说明广东与海南岛的鸟类区系相似。如果比较华南地区广东、广西和海南三个地区繁殖鸟类种的相似程度，则广东与广西的繁殖鸟类种的相似性 (60.5%) 大大高于广东与海南 (34.7%) 和广西与海南 (32.9%) 的繁殖鸟类种的相似性。广东没有特有鸟种。广西有弄岗穗鹛 (*Stachyris nonggangensis*) 特有鸟种，且冠斑犀鸟 (*Anthracoboceros albirostris*) 在华南地区中仅分布于广西。海南有特有鸟种海南山鹧鸪

(*Arborophila ardens*)、海南孔雀雉(*Polyplectron katsumatae*)和海南柳莺(*Phylloscopus hainanus*)。在3个地区中,紫林鸽(*Columba punicea*)等鸟种也只分布于海南岛。

参 考 文 献

- Anon. 2009. Summer 2009 report on waterbird monitoring at the Mai Po Inner Deep Bay Ramsar Site. Report by Hong Kong Bird Watching Society to the Agriculture, Fisheries and Conservation Department, Hong Kong Special Administrative Region Government.
- Aylmer E A. 1932. Swatow notes. *Hong Kong Naturalist*, 3: 66–67.
- Baker E C S. 1919. Some notes on oriental woodpeckers and barbets. *Ibis*, 61(2): 181–222.
- BirdLife International. 2001. Threatened Birds of Asia. Cambridge: UK.
- BirdLife International. 2013. *Emberiza aureola* // IUCN 2014. IUCN Red List of Threatened Species. Version 2014. 1. [DB/OL]. [2014-12-24]. <http://www.iucnredlist.org>.
- Carey G J. 1994. Winter waterfowl counts 1992–1993. *Hong Kong Bird Report* 1993, 91–97.
- Cassin J. 1856. Birds // Perry C M C. Narrative of the Expedition of An American Squadron to the China Seas and Japan, United States Navy. Vol. 2. Washington DC, USA.
- Chalmers M L. 1978. Seabirds in the South China Sea from M. V. "Taipoosck". *Hong Kong Bird Report* 1976, 54–55.
- Chan S. 1991. The historical and current status of the Oriental White Stork. *Hong Kong Bird Report* 1990, 128–148.
- Cheng T H. 1987. A Synopsis of the Avifauna of China. Beijing: Science Press.
- Collar N J. 2004. Pioneers of Asian Ornithology. Robert Swinhoe. *BirdingASIA*, 1: 49–53.
- Davies M T. 1941. Notes on Canton Birds, 1940. *Hong Kong Naturalist*, 11: 233–237.
- Dickinson E C. 2003. The Howard and Moore Complete Checklist of the Birds of the World. 3rd ed. Princeton, New Jersey: Princeton University Press.
- Fellowes J R, Hau C H. 1997. A faunal survey of nine forest reserves in tropical South China. Hong Kong: Kadoorie Farm and Botanic Garden.
- Fok Y S. 1937. Birds of Kwangtung, Kwangsi and Fukien in Sun Yatsen University, Canton. *Hong Kong Naturalist*, 8: 17–28.
- Gill F, Donsker D. 2014. IOC World bird list (v 4.2). [DB/OL]. [2014-12-24]. <http://www.worldbirdnames.org/>.
- Gressit J L. 1940a. A winter census of Lingnan birds. *Lingnan Science Journal*, 19(2): 197–203.
- Gressit J L. 1940b. Notes on spring birds at Canton, 1940. *Lingnan Science Journal*, 19(4): 607–609.
- Gressit M K, Gressit J L. 1942. A provisional bird calendar for Canton, 1940. *Lingnan Science Journal Special Publication*, 10: 1–10.
- Hachisuka M. 1939. Contributions on the Birds of Hainan. Tokyo: Ornithological Society of Japan Supplementary Publication No. 15.
- Huizinga M, Ouweenei G L. 1991. Bulwer's Petrel and other seabirds near Hong Kong. *Hong Kong Bird Report* 1990, 183–187.
- Hutson H P W. 1931. Swatow notes. *Hong Kong Naturalist*, 2: 81.
- Jabouille P. 1935. Une collection d'oiseaux du Territoire de Kouang-Tcheou-Wan. *L'Oiseau et La Revue Francaise d'Ornithologie*, (5): 34–69, 235–257.
- KFBG (Kadoorie Farm and Botanic Garden). 2003. Report of a rapid biodiversity assessment at Nanling National Nature Reserve, northwest Guangdong, China, June-July 2000. South China Forest Biodiversity Survey Report Series: No 29.
- La Touche J D D. 1892. On birds collected or observed in the vicinity of Foochow and Swatow in South-eastern China. *Ibis*, 34(4): 400–430, 477–530.
- La Touche J D D. 1925–1934. A Handbook of the Birds of Eastern China. Vols 1–2. London: Taylor & Francis.
- Lamont A R. 1990. Notes on the seabirds observed during a voyage from the Philippines to Hong Kong, April 1990. *Hong Kong Bird Report* 1989, 136–138.
- Lee K S, Lau M W N, Fellowes J R, et al. 2006. Forest bird fauna of South China: notes on current distribution and status. *Forktail*, 22: 23–38.
- Lewthwaite R W. 1992. Pelagic trips to Xiamen and Shanghai, May 1992. *Hong Kong Bird Watching Society Bulletin*, 145: 7.

- Lewthwaite R W. 1996. Forest birds of Southeast China: observations during 1984–1996. *Hong Kong Bird Report*, 1995, 150–203.
- Mell R. 1922. Beiträge zur Fauna sinica. *Archiv für Naturgeschichte*, 88(10): 1–100.
- Miller R C. 1930. A spring census of Lingnan birds. *Lingnan Science Journal*, 9: 131–135.
- Miller R C. 1931a. Notes on spring migration at Canton. *Lingnan Science Journal*, 10: 341.
- Miller R C. 1931b. Dalmatian pelican from the East River District, Kwangtung. *Lingnan Science Journal*, 10: 341–342.
- Robson C. 2000. From the field (male Hill Blue Flycatcher reported by J. Bryant at Da Peng Peninsula, Guangdong, 11 March 2000). *Oriental Bird Club Bulletin*, 32: 67.
- Rothschild W. 1910. *Aethopyga seheriae owstoni*, subsp. n. *Bulletin of the British Ornithologists' Club*, 25: 32.
- Sibley F, Lu W H, Lazell J. 1999. Swinhoe's Storm-Petrel, Bridled Tern and Lesser Crested Tern at Wu Yu (Black Rock), Nan Ao County, Guangdong, China. *Waterbirds: The International Journal of Waterbird Biology*, 22(1): 142–144.
- Slater H H. 1891. On some birds from South-eastern China, with descriptions of two new species. *Ibis*, 33(1): 41–45.
- Streich J. 1903. Die avifauna eines gartens in Swatau, Süd-China. *Journal für Ornithologie*, 51(4): 515–527.
- Stresemann E. 1922. *Oriolus trailli mellianus* n. subsp. *Ornith Monatsber*, 30: 64.
- Stresemann E. 1923. Neue Formen aus Süd-China. *Journal für Ornithologie*, 71(2/3): 362–365.
- Swinhoe R. 1860. Birds of Amoy. *Zoologist* 1860, 7102–7103.
- Swinhoe R. 1861a. Notes on the ornithology of Hong Kong, Macao and Canton, made during the latter end of February, March, April, and the beginning of May, 1860. *Ibis*, 3(1): 23–57.
- Swinhoe R. 1861b. Extract from letter. *Ibis*, 3: 408–409.
- Swinhoe R. 1863a. On new and little-known birds from China. *Proceedings of the Zoological Society of London* 1863, 87–94.
- Swinhoe R. 1863b. Catalogue of the birds of China, with remarks principally on their geographical distribution. *Proceedings of the Zoological Society of London* 1863, 259–338.
- Swinhoe R. 1864. Letters to the editor. *Ibis*, 6: 423–425.
- Swinhoe R. 1865a. Letters to the editor. *Ibis*, 7: 346–354.
- Swinhoe R. 1865b. Letters to the editor. *Ibis*, 7: 538–546.
- Swinhoe R. 1866. Ornithological notes from Formosa. *Ibis*, 8(3): 292–316.
- Swinhoe R. 1867. Jottings on birds from my Amoy journal. *Ibis*, 9(2): 226–237, 385–413.
- Swinhoe R. 1869. Letters to the editor. *Ibis*, 11: 347–348.
- Swinhoe R. 1870a. On the ornithology of Hainan. *Ibis*, 12(3): 77–97, 230–256, 342–367.
- Swinhoe R. 1870b. Zoological notes of a journey from Canton to Peking and Kalgan. *Proceedings of the Zoological Society of London* 1870, 427–451.
- Swinhoe R. 1870c. Descriptions of three new species of birds from China. *Annals and Magazine of Natural History* 1870, 173–175.
- Swinhoe R. 1871. A revised catalogue of the birds of China and its islands, with descriptions of new species, references to former notes, and occasional remarks. *Proceedings of the Zoological Society of London* 1871, 337–423.
- Swinhoe R. 1873. Letters to the editor. *Ibis*, 15: 227–231.
- Udagawa T. 1944. The avifauna of Canton city, S. China. *Tori*, 11(55): 595–614.
- Vaughan R E, Jones K H. 1913. The birds of Hong Kong, Macao, and the West River or Si Kiang in South-East China, with special reference to their nidification and seasonal movements. *Ibis*, 55(1): 17–76, 163–201, 351–384.
- Vaurie C. 1965. The Birds of the Palearctic Fauna: Non passeriformes. London: Witherby.
- Vaurie C A. 1959. The Bird of the Palearctic Fauna: Passeriformes. London: Witherby.
- Viney C A. 1987. Observations on the birds of Hei Shi Ding Nature Reserve, Feng Kai County, Guangdong Province, P. R. C. *Hong Kong Bird Report*, 1986, 101–103.
- Woodward T J, Carey G J. 1996. Where to Watch Birds and other Wildlife in Hong Kong and Guangdong. Hong Kong: Privately published, T. Woodward.
- Yen K Y. 1932. Etude d'une collection d'Oiseaux du Nord du Kwangtung. *Bulletin du Museum d'Histoire Naturelle*, 4: 243–261.
- 陈灵芝. 1993. 中国的生物多样性: 现状及其保护对策. 北京: 科学出版社.

- 陈万成, 卢柏威, 卢开和, 等. 1993. 车八岭国家级自然保护区的鸟类//车八岭国家级自然保护区调查研究论文编辑委员会. 车八岭国家级自然保护区调查研究论文集. 广州: 广东科技出版社, 237-246.
- 关贯勋, 邓巨燮, 王录德, 等. 1986. 珠江口临海地带及岛屿的鸟类区系. 生态科学, 17(2): 17-30.
- 广东省昆虫研究所动物室, 中山大学生物系. 1983. 海南岛的鸟兽. 北京: 科学出版社.
- 华南濒危动物研究所. 1991. 广东鸟类彩色图鉴. 广州: 广东科技出版社.
- 黄石林, 饶纪腾, 韩联宪, 等. 2003. 广东车八岭自然保护区鸟类多样性分析. 四川动物, 22(2): 101-106.
- 金孟洁, 赵健, 王雪婧, 等. 2014. 广东封开县发现白眉棕啄木鸟(*Sasia ochracea*). 动物学杂志, 49(1): 30, 封4.
- 廖维平. 1982. 鼎湖山鸟类调查. 热带亚热带森林生态系统研究, (1): 209-231.
- 刘忠宝, 黄汉泉, 曾小平, 等. 2006. 深圳市笔架山公园鸟类生态类群的研究. 深圳职业技术学院学报, 5(1): 37-43.
- 罗斯特, 常青, 张强, 等. 2011. 广东揭阳农田坡地鸟类及其对高压输电线路的影响. 生态学杂志, 30(9): 2039-2044.
- 深圳市野生动植物保护管理处, 深圳市观鸟协会. 2009. 深圳野生鸟类. 成都: 四川大学出版社.
- 孙泽伟, Lewthwaite R W, Lazell J, 等. 2005. 广东省潮汕地区鸟类的研究历史及其名录. 汕头大学学报: 自然科学版, 20(1): 28-42.
- 孙泽伟, 卢文华, Lewthwaite R W, 等. 2003. 南澳岛及其附近岛屿夏季鸟类的初步调查. 汕头大学学报: 自然科学版, 18(3): 1-6.
- 王岐山, 马鸣, 高育仁. 2006. 中国动物志: 鸟纲 第五卷 鹤形目 鸳形目. 北京: 科学出版社.
- 王英永, 崔融丰. 2007. 黄眉姬鹟琉球亚种在中国大陆的新纪录(雀形目, 鶲科). 动物分类学报, 32(2): 492-494.
- 吴至康. 1986. 贵州鸟类志. 贵阳: 贵州人民出版社.
- 香港观鸟会. 2014. 黑脸琵鹭全球同步普查 2014. [DB/OL]. [2014-12-24]. <http://www.hkbws.org.hk/20141225>.
- 杨岚. 1995. 云南鸟类志: 上卷 非雀形目. 昆明: 云南科技出版社.
- 杨岚, 杨晓君. 2004. 云南鸟类志: 下卷 雀形目. 昆明: 云南科技出版社.
- 张春兰, 彭波涌, 胡慧建, 等. 2005. 广东海丰发现斑海雀. 中国鸟类研究简讯, 14(2): 17.
- 张荣祖. 1999. 中国动物地理. 北京: 科学出版社.
- 张彤, 齐麟, 付征叶, 等. 2003. 珠海冬季鸟类多样性研究. 河南大学学报: 自然科学版, 33(3): 7-13.
- 赵正阶. 2001a. 中国鸟类志: 上卷 非雀形目. 长春: 吉林科学技术出版社.
- 赵正阶. 2001b. 中国鸟类志: 下卷 雀形目. 长春: 吉林科学技术出版社.
- 郑光美. 2005. 中国鸟类分类与分布名录. 北京: 科学出版社.
- 郑光美. 2011. 中国鸟类分类与分布名录. 2 版. 北京: 科学出版社.
- 郑孜文, 张春兰, 胡慧建. 2008. 广州地区鸟类资源本底调查及其整体特征分析. 动物学杂志, 43(1): 122-133.
- 郑作新. 1976. 中国鸟类分布名录. 北京: 科学出版社.
- 郑作新, 龙泽虞, 卢汰春. 1995. 中国动物志: 鸟纲 第十卷 鶲科 I 鶲亚科. 北京: 科学出版社.
- 郑作新, 龙泽虞, 郑宝贵. 1987. 中国动物志: 鸟纲 第十一卷 鶲科 II 画眉亚科. 北京: 科学出版社.
- 郑作新, 卢汰春, 杨岚, 等. 2010. 中国动物志: 鸟纲 第十二卷 鶲科III 鶲亚科 鶲亚科. 北京: 科学出版社.
- 郑作新, 张荣祖. 1959. 中国动物区划. 北京: 科学出版社.
- 中国观鸟年报. 2013. 中国鸟类名录 3.0 版.
- 中国鸟类学会. 2004. 中国观鸟年报 2003. 北京: 中国鸟类学会.
- 中国鸟类学会. 2005. 中国观鸟年报 2004. 北京: 中国鸟类学会.
- 中国鸟类学会. 2006. 中国观鸟年报 2005. 北京: 中国鸟类学会.
- 中国鸟类学会. 2007. 中国观鸟年报 2006. 北京: 中国鸟类学会.
- 中国鸟类学会. 2008. 中国观鸟年报 2007. 北京: 中国鸟类学会.
- 中国鸟类学会. 2009. 中国观鸟年报 2008. 北京: 中国鸟类学会.
- 周放. 2011. 广西陆生脊椎动物分布名录. 北京: 中国林业出版社.
- 周宇垣, 秦耀亮, 王耀培, 等. 1981. 鼎湖山地区的陆栖脊椎动物 //广东省动物学会. 广东省动物学论文集, 48-60.
- 周宇垣. 1955. 广东大绿鸠——大绿鸠的一个新亚种(*Muscadivora aenea kwantungensis*, subsp. nov.). 中山大学学报: 自然科学版, (3): 128-130.
- 诸葛阳. 1990. 浙江动物志: 鸟类. 杭州: 浙江科学技术出版社.

附录 广东省野生鸟类名录

Appendix The checklist of wild birds of Guangdong

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*栗树鸭 <i>Dendrocygna javanica</i>	Vaughan et al. 1913	三水 Sanshui	OR	S
鸿雁 <i>Anser cygnoides</i>	郑作新 1976	广东 Guangdong		W
豆雁 <i>A. fabalis fabalis</i>	La Touche 1892	汕头 Shantou		W
<i>A. f. middendorffii</i>	Cheng 1987	广东 Guangdong		W
短嘴豆雁 <i>A. serrirostris serrirostris</i>	Swinhoe 1863b	广东 Guangdong		W
灰雁 <i>A. anser rubripes</i>	Swinhoe 1863b	广东 Guangdong		W
白额雁 <i>A. albifrons albifrons</i>	Streich 1903	汕头 Shantou		W
*小白额雁 <i>A. erythropus</i>	郑作新 1976	广东 Guangdong		W
小天鹅 <i>Cygnus columbianus bewickii</i>	Swinhoe 1863b	广东 Guangdong		W
翘鼻麻鸭 <i>Tadorna tadorna</i>	La Touche 1892	汕头 Shantou		W
*赤麻鸭 <i>T. ferruginea</i>	Carey 1994	深圳福田 Futian, Shenzhen		W
*鸳鸯 <i>Aix galericulata</i>	Mell 1922	广东北部 North Guangdong		W
棉凫 <i>Nettapus coromandelianus coromandelianus</i>	Vaughan et al. 1913	珠江 Pearl River	OR	S
赤膀鸭 <i>Anas strepera strepera</i>	Hutson 1931	汕头 Shantou		W
*罗纹鸭 <i>A. falcata</i>	La Touche 1892	汕头 Shantou		W
*赤颈鸭 <i>A. penelope</i>	La Touche 1892	汕头 Shantou		W/P
绿头鸭 <i>A. platyrhynchos platyrhynchos</i>	La Touche 1892	汕头 Shantou		W/P
印缅斑嘴鸭 <i>A. poecilorhyncha haringtoni</i>	Fok 1937	广东 Guangdong	OR	S
*斑嘴鸭 <i>A. zonorhyncha</i>	La Touche 1892	汕头 Shantou	OR	W/R
*琵嘴鸭 <i>A. clypeata</i>	La Touche 1892	汕头 Shantou		W/P
*针尾鸭 <i>A. acuta</i>	La Touche 1892	汕头 Shantou		W/P
*白眉鸭 <i>A. querquedula</i>	La Touche 1892	汕头 Shantou		W/P
*花脸鸭 <i>A. formosa</i>	La Touche 1892	汕头 Shantou		W
绿翅鸭 <i>A. crecca crecca</i>	La Touche 1892	汕头 Shantou		W/P
*红头潜鸭 <i>Aythya ferina</i>	Aylmer 1932	汕头 Shantou		W
*青头潜鸭 <i>A. baeri</i>	BirdLife International 2001	澄海 Chenghai		W
*白眼潜鸭 <i>A. nyroca</i>	周宇垣等 1981	高要 Gaoyao		W
*凤头潜鸭 <i>A. fuligula</i>	Jabouille 1935	湛江东海岛 Donghai Island, Zhanjiang		W/P
斑背潜鸭 <i>A. marila nearctica</i>	Vaughan et al. 1913	珠江 Pearl River		W
*长尾鸭 <i>Clangula hyemalis</i>	中国鸟类学会 2007	深圳 Shenzhen		W
*白秋沙鸭 <i>Mergellus albellus</i>	郑作新 1976	广东 Guangdong		W
普通秋沙鸭 <i>Mergus merganser merganser</i>	Mell 1922	广东北部 North Guangdong		W
*红胸秋沙鸭 <i>M. serrator</i>	La Touche 1892	汕头 Shantou		W
*中华秋沙鸭 <i>M. squamatus</i>	Vaurie 1965	广东 Guangdong		W
中华鹤鹬 <i>Francolinus pintadeanus pintadeanus</i>	La Touche 1892	汕头 Shantou	OR	R
*鹤鹬 <i>Coturnix japonica</i>	Swinhoe 1861a	广东 Guangzhou		W
蓝胸鹑 <i>Excalidactylus chinensis chinensis</i>	Swinhoe 1861a	广东 Guangzhou		W
白眉山鹧鸪 <i>Arborophila gingica gingica</i>	Mell 1922	广东北部 North Guangdong	OR	R
灰胸竹鸡 <i>Bambusicola thoracicus thoracicus</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
黄腹角雉 <i>Tragopan caboti guangxiensis</i>	Mell 1922	广东北部 North Guangdong	OR	R
勺鸡 <i>Pucrasia macrolopha darwini</i>	Mell 1922	乐昌 Lechang	OR	R
红原鸡 <i>Gallus gallus jabouillei</i>	华南濒危动物研究所 1991	徐闻 Xuwen	OR	R
白鹇 <i>Lophura nycthemera nycthemera</i>	Mell 1922	广东北部 North Guangdong	OR	R
*白颈长尾雉 <i>Syrmaticus ellioti</i>	Yen 1932	清新杨梅塱 Yangmeilang, Qingxin	OR	R
雉鸡 <i>Phasianus colchicus torquatus</i>	La Touche 1892	汕头附近 Near Shantou	WD	R
*红喉潜鸟 <i>Gavia stellata</i>	La Touche 1892	汕头 Shantou		W
*短尾信天翁 <i>Phoebastria albatrus</i>	La Touche 1892	汕头 Shantou		P
*白额鹱 <i>Calonectris leucomelas</i>	Chalmers 1978	担杆岛海域 off Dangan Islands	PR	P/S
*短尾鹱 <i>Puffinus tenuirostris</i>	Lewthwaite et al. (unpub MS) 2014	担杆岛海域 off Dangan Islands		P
*纯褐鹱 <i>Bulweria bulwerii</i>	Huizinga et al. 1991	珠江河口 Pearl River Estuary		P
*黑叉尾海燕 <i>Oceanodroma monorhisa</i>	Sibley et al. 1999	汕头南澳岛 Nanao Island, Shantou	WD	S
小鹏鵟 <i>Tachybaptus ruficollis poggei</i>	La Touche 1892	汕头 Shantou	WD	R
凤头鹏鵟 <i>Podiceps cristatus cristatus</i>	La Touche 1892	汕头 Shantou	UN	W/S
黑颈鹏鵟 <i>P. nigricollis nigricollis</i>	La Touche 1892	汕头 Shantou		W
*彩鹳 <i>Mycteria leucocephala</i>	La Touche 1892	汕头 Shantou		P

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*钳嘴鹳 <i>Anastomus oscitans</i>	Lewthwaite et al. (unpub MS) 2013	雷州 Leizhou		W
*黑鹳 <i>Ciconia nigra</i>	周宇垣等 1981	鼎湖山 Dinghushan		W
*东方白鹳 <i>C. boyciana</i>	Chan 1991	珠海 Zhuhai		W
*黑头白鹮 <i>Threskiornis melanocephalus</i>	Swinhoe 1871	珠江 Pearl River		W
白琵鹭 <i>Platalea leucorodia leucorodia</i>	Swinhoe 1863b	汕头 Shantou		W
*黑脸琵鹭 <i>P. minor</i>	La Touche 1892	汕头 Shantou	OR	W/P/S
大麻鳽 <i>Botaurus stellaris stellaris</i>	Swinhoe 1861b	汕头 Shantou		W
*黄苇鳽 <i>Ixobrychus sinensis</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
*紫背苇鳽 <i>I. eurhythmus</i>	Streich 1903	汕头 Shantou		P
*栗苇鳽 <i>I. cinnamomeus</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
黑鳽 <i>Dupetor flavicollis flavicollis</i>	Swinhoe 1863b	广东 Guangdong		P
*海南鳽 <i>Gorsachius magnificus</i>	华南濒危动物研究所 1991	英德 Yingde	OR	R
夜鹭 <i>Nycticorax nycticorax nycticorax</i>	Swinhoe 1861a	广州 Guangzhou	WD	R/S/W
绿鹭 <i>Butorides striata actophila</i>	Swinhoe 1861a	广州 Guangzhou	WD	S/P/W
*池鹭 <i>Ardeola bacchus</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
*牛背鹭 <i>Bubulcus coromandus</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
苍鹭 <i>Ardea cinerea jouyi</i>	Swinhoe 1861a	广州 Guangzhou	PR	S/P/W
草鹭 <i>A. purpurea manilensis</i>	Mell 1922	广州 Guangzhou		P/W
大白鹭 <i>A. alba modesta</i>	Swinhoe 1861a	广州 Guangzhou	WD	W/P/S
中白鹭 <i>Egretta intermedia intermedia</i>	Swinhoe 1871	广东 Guangdong	OR	W/P/S
白鹭 <i>E. garzetta garzetta</i>	Swinhoe 1861a	广州 Guangzhou	OR	R/W/P
岩鹭 <i>E. sacra sacra</i>	Vaughan et al. 1913	沿岸岛屿 Islands along coast	OR	R
*黄嘴白鹭 <i>E. euphotos</i>	La Touche 1892	汕头 Shantou	OR	P/S
*斑嘴鹈鹕 <i>Pelecanus philippensis</i>	Swinhoe 1866	汕头 Shantou	UN	P/S
*卷羽鹈鹕 <i>P. crispus</i>	Miller 1931b	东江 East River		W
*白腹军舰鸟 <i>Fregata andrewsi</i>	郑作新 1976	广东 Guangdong	UN	S
白斑军舰鸟 <i>F. ariel ariel</i>	La Touche 1892	汕头 Shantou	UN	S
红脚鲣鸟 <i>Sula sula rubripes</i>	中国鸟类学会 2008	汕头 Shantou	UN	S
褐鲣鸟 <i>S. leucogaster plotus</i>	Cheng 1987	广东海岸 Coast of Guangdong		P
海鸬鹚 <i>Phalacrocorax pelagicus pelagicus</i>	Vaughan et al. 1913	沿岸岛屿 Islands along coast		W
普通鸬鹚 <i>P. carbo sinensis</i>	La Touche 1892	汕头 Shantou		W/P
鹗 <i>Pandion haliaetus haliaetus</i>	Swinhoe 1861a	汕头 Shantou	WD	W/P/S
黑翅鸢 <i>Elanus caeruleus vociferus</i>	Fellowes et al. 1997	古田 Gutian	OR	R/P
凤头蜂鹰 <i>Pernis ptilorhynchus orientalis</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang		P
黑冠鹃隼 <i>Aviceda leuphotes syama</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	P/S
蛇雕 <i>Spilornis cheela ricketti</i>	Mell 1922	广东北部 North Guangdong	OR	R/P
鹰雕 <i>Nisaetus nipalensis nipalensis</i>	Mell 1922	广东北部 North Guangdong	OR	R
林雕 <i>Ictinaetus malaiensis malaiensis</i>	Lewthwaite 1996	车八岭 Chebaling	OR	R
*乌雕 <i>Clanga clanga</i>	La Touche 1892	汕头 Shantou		W
*白肩雕 <i>Aquila heliaca</i>	BirdLife International 2001	肇庆 Zhaoqing		W
白腹隼雕 <i>A. fasciata fasciata</i>	Mell 1922	广东北部 North Guangdong	OR	R
凤头鹰 <i>Accipiter trivirgatus indicus</i>	廖维平 1982	鼎湖山 Dinghushan	OR	R
褐耳鹰 <i>A. badius poliopsis</i>	Jabouille 1935	湛江 Zhanjiang	OR	R
*赤腹鹰 <i>A. soloensis</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	S/P
日本松雀鹰 <i>A. gularis sibiricus</i>	Swinhoe 1863b	广东 Guangdong		P/W
松雀鹰 <i>A. virgatus affinis</i>	La Touche 1892	汕头 Shantou	OR	R
雀鹰 <i>A. nisus nisosimilis</i>	Swinhoe 1863b	广东 Guangdong		W
苍鹰 <i>A. gentilis schvedowi</i>	La Touche 1892	汕头 Shantou		W
*白腹鹞 <i>Circus spilonotus</i>	La Touche 1892	汕头 Shantou		W/P
*白尾鹞 <i>C. cyaneus</i>	Swinhoe 1863b	广东 Guangdong		W
*鵟 <i>C. melanoleucos</i>	Mell 1922	广州 Guangzhou		P/W
黑鸢 <i>Milvus migrans lineatus</i>	Swinhoe 1863b	广东 Guangdong	PR	W/R
栗鸢 <i>Haliastur indus indus</i>	Mell 1922	台山广海 Guanghai, Taishan		P
*白腹海雕 <i>Haliaeetus leucogaster</i>	La Touche 1892	汕头 Shantou	OR	R
白尾海雕 <i>H. albicilla albicilla</i>	Swinhoe 1871	汕头 Shantou		W
*灰脸鵟鹰 <i>Butastur indicus</i>	Vaughan et al. 1913	广东 Guangdong		P
*大鵟 <i>Buteo hemilasius</i>	Swinhoe 1871	汕头 Shantou		W
普通鵟 <i>B. japonicus japonicus</i>	Swinhoe 1863b	广东 Guangdong		W/P
*花田鸡 <i>Coturnicops exquisitus</i>	Vaughan et al. 1913	三水沙浦 Shapu, Sanshui		W
白喉斑秧鸡 <i>Rallina eurizonoides telmatophila</i>	陈万成等 1993	车八岭 Chebaling	OR	S/P
蓝胸秧鸡 <i>Gallirallus striatus jouyi</i>	Swinhoe 1871	广东 Guangdong	OR	R

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*普通秧鸡 <i>Rallus indicus</i>	La Touche 1892	汕头 Shantou		W/P
红脚苦恶鸟 <i>Amaurornis akool coccineipes</i>	Slater 1891	梅州太阳山 Taiyangshan, Meizhou	OR	R
白胸苦恶鸟 <i>A. phoenicurus phoenicurus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
小田鸡 <i>Porzana pusilla pusilla</i>	Vaughan et al. 1913	珠江三角洲 Pearl River Delta		P
红胸田鸡 <i>P. fusca erythrothorax</i>	Swinhoe 1861a	广州 Guangzhou	OR	P/W/S
斑胁田鸡 <i>P. pygmaea</i>	Swinhoe 1870c	广州 Guangzhou		P
*董鸡 <i>Gallicrex cinerea</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P
紫水鸡 <i>Porphyrio porphyrio viridis</i>	Swinhoe 1870b	广州 Guangzhou	OR	R
黑水鸡 <i>Gallinula chloropus chloropus</i>	Swinhoe 1861a	广州 Guangzhou	WD	W/R
骨顶鸡 <i>Fulica atra atra</i>	Swinhoe 1865a	汕头 Shantou	PR	W/S
灰鹤 <i>Grus grus lilifordi</i>	Swinhoe 1861b	汕头 Shantou		W
林三趾鹑 <i>Turix sylvaticus davidi</i>	Vaughan et al. 1913	广东西部 West Guangdong		P/W
黄脚三趾鹑 <i>T. tanki blanfordii</i>	Swinhoe 1861a	广州 Guangzhou		P/W
棕三趾鹑 <i>T. suscitator blakistoni</i>	Swinhoe 1871	广州 Guangzhou		P
蜥鹬 <i>Haematopus ostralegus osculans</i>	Swinhoe 1871	汕头 Shantou		W
*黑翅长脚鹬 <i>Himantopus himantopus</i>	Mell 1922	珠江三角洲 Pearl River Delta	UN	W/P/S
*反嘴鹬 <i>Recurvirostra avosetta</i>	Swinhoe 1860	汕头 Shantou	UN	W/P/S
*凤头麦鸡 <i>Vanellus vanellus</i>	Swinhoe 1865a	汕头 Shantou		W
*灰头麦鸡 <i>V. cinereus</i>	Vaughan et al. 1913	珠江三角洲 Pearl River Delta		W/P
*金斑鸻 <i>Pluvialis fulva</i>	Cassin 1856	广州 Guangzhou		W/P
灰斑鸻 <i>P. squatarola squatarola</i>	La Touche 1892	汕头 Shantou	UN	W/P/S
剑鸻 <i>Charadrius hiaticula tundrae</i>	中国鸟类学会 2008	深圳 Shenzhen		W
*长嘴剑鸻 <i>C. placidus</i>	Mell 1922	不详 not clear		P
金眶鸻 <i>C. dubius curonicus</i>	La Touche 1892	汕头 Shantou	WD	W/R
环颈鸻 <i>C. alexandrinus nihonensis</i>	Swinhoe 1870a	雷州半岛 Leizhou Peninsula		W/P
<i>C. a. dealbatus</i>	La Touche 1892	汕头 Shantou	UN	S/R
蒙古沙鸻 <i>C. mongolus mongolus</i>	Jabouille 1935	湛江 Zhanjiang		P
<i>C. m. schaeferi</i>	Martinez (unpub MS) 2011	阳江三亞港 Sanya Harbor, Yangjiang	UN	P/W/S
铁嘴沙鸻 <i>C. leschenaultii leschenaultii</i>	Streich 1903	汕头 Shantou	PR	P/W/S
*东方鸻 <i>C. veredus</i>	La Touche 1892	汕头 Shantou		P
*彩鹬 <i>Rostratula benghalensis</i>	Swinhoe 1863b	广东 Guangdong	WD	R
*水雉 <i>Hydrophasianus chirurgus</i>	Vaughan et al. 1913	三水 Sanshui	OR	S/P
*丘鹬 <i>Scopulap rusticola</i>	La Touche 1892	汕头 Shantou		W/P
*姬鹬 <i>Lymnocryptes minimus</i>	Vaughan et al. 1913	江门 Jiangmen		W
*针尾沙锥 <i>Gallinago stenura</i>	Cassin 1856	广州 Guangzhou		P/W
*大沙锥 <i>G. megala</i>	Swinhoe 1863b	广东 Guangdong		P
扇尾沙锥 <i>G. gallinago gallinago</i>	Swinhoe 1870a	硇州岛 Naozhou Island		W/P
*长嘴鹬 <i>Limnodromus scolopaceus</i>	中国鸟类学会 2004	深圳 Shenzhen		W/P
*半蹼鹬 <i>L. semipalmatus</i>	深圳市野生动植物保护管理处等 2009	深圳 Shenzhen		P
黑尾塍鹬 <i>Limos limosa melanuroides</i>	Mell 1922	广州 Guangzhou	PR	W/P/S
斑尾塍鹬 <i>L. lapponica menzbieri</i>	La Touche 1892	汕头 Shantou		P
*小杓鹬 <i>Numenius minutus</i>	Mell 1922	珠江三角洲 Pearl River Delta		P
中杓鹬 <i>N. phaeopus variegatus</i>	La Touche 1892	汕头 Shantou		P/W
白腰杓鹬 <i>N. arquata orientalis</i>	Swinhoe 1863b	广东 Guangdong	PR	W/P/S
*大杓鹬 <i>N. madagascariensis</i>	La Touche 1892	汕头 Shantou		P/W
*鹤鹬 <i>Tringa erythropus</i>	Vaughan et al. 1913	珠江三角洲 Pearl River Delta		P/W
红脚鹬 <i>T. totanus terrignotae</i>	La Touche 1892	汕头 Shantou	PR	P/W/S
*泽鹬 <i>T. stagnatilis</i>	Jabouille 1935	湛江 Zhanjiang	PR	P/W/S
*青脚鹬 <i>T. nebularia</i>	Swinhoe 1870a	雷州半岛 Leizhou Peninsula	PR	W/P/S
*小青脚鹬 <i>T. guttifer</i>	中国鸟类学会 2008	深圳 Shenzhen		P
*白腰草鹬 <i>T. ochropus</i>	La Touche 1892	汕头 Shantou	PR	W/P/S
*林鹬 <i>T. glareola</i>	La Touche 1892	汕头 Shantou	PR	P/W/S
*灰尾漂鹬 <i>T. brevipes</i>	La Touche 1892	汕头 Shantou	UN	P/S
*翹嘴鹬 <i>Xenus cinereus</i>	Mell 1922	珠江三角洲 Pearl River Delta	PR	P/W/S
*矶鹬 <i>Actitis hypoleucos</i>	La Touche 1892	汕头 Shantou	PR	W/P/S
翻石鹬 <i>Arenaria interpres interpres</i>	La Touche 1892	汕头 Shantou	UN	P/W/S
*大滨鹬 <i>Calidris tenuirostris</i>	Jabouille 1935	湛江 Zhanjiang		P/W
红腹滨鹬 <i>C. canutus rogersi</i>	Jabouille 1935	湛江 Zhanjiang		P/W
三趾滨鹬 <i>C. alba rubida</i>	La Touche 1892	汕头 Shantou	UN	P/W/S
*红颈滨鹬 <i>C. ruficollis</i>	Jabouille 1935	湛江 Zhanjiang	UN	P/W/S

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*小滨鹬 <i>C. minuta</i>	Anon 2009	深圳 Shenzhen		P
青脚滨鹬 <i>C. temminckii</i>	La Touche 1892	汕头 Shantou		W/P
*长趾滨鹬 <i>C. subminuta</i>	Vaughan et al. 1913	广州 Guangzhou		P/W
*尖尾滨鹬 <i>C. acuminata</i>	Mell 1922	珠江三角洲 Pearl River Delta		P
*弯嘴滨鹬 <i>C. ferruginea</i>	Vaughan et al. 1913	广州附近 Near Guangzhou	PR	P/W/S
黑腹滨鹬 <i>C. alpina sakhalina</i>	La Touche 1892	汕头 Shantou		W/P
*勺嘴鹬 <i>Eurynorhynchus pygmeus</i>	Jabouille 1935	湛江 Zhanjiang		P/W
阔嘴鹬 <i>Limicola falcinellus sibirica</i>	Jabouille 1935	湛江 Zhanjiang		P/W
流苏鹬 <i>Philomachus pugnax</i>	中国鸟类学会 2006	深圳 Shenzhen		W/P
*红颈瓣蹼鹬 <i>Phalaropus lobatus</i>	Swinhoe 1870a	雷州半岛 Leizhou Peninsula		P
*灰瓣蹼鹬 <i>P. fulicarius</i>	Martinez (unpub MS) 2013	阳江溪头 Xitou, Yangjiang		P
*普通燕鸻 <i>Glaeola maldivarum</i>	La Touche 1892	汕头 Shantou	OR	P/S
三趾鸻 <i>Rissa tridactyla pollicaris</i>	Martinez (unpub MS) 2012	阳江三亚港 Sanya Harbor, Yangjiang		W
*细嘴鸻 <i>Chroicocephalus genei</i>	Martinez (unpub MS) 2013	阳江溪头 Xitou, Yangjiang		P
*红嘴鸻 <i>C. ridibundus</i>	La Touche 1892	汕头 Shantou		W/P
*黑嘴鸻 <i>C. saundersi</i>	La Touche 1892	汕头 Shantou		W/P
*渔船 <i>Ichthyaetus ichthyaetus</i>	深圳市野生动植物保护管理处等 2009	深圳 Shenzhen		W
*黑尾鸥 <i>Larus crassirostris</i>	La Touche 1892	汕头 Shantou	UN	W/P/S
海鸥 <i>L. canus kamtschatcensis</i>	La Touche 1892	汕头 Shantou		W
*灰翅鸥 <i>L. glaucescens</i>	Martinez (unpub MS) 2013	阳江溪头 Xitou, Yangjiang		W
西伯利亚银鸥 <i>L. vegae mongolicus</i>	La Touche 1892	汕头 Shantou		W/P
<i>L. v. vegae</i>	Martinez (unpub MS) 2001	阳江溪头 Xitou, Yangjiang		W/P
*灰背鸥 <i>L. schistisagus</i>	Martinez (unpub MS) 2012	阳江溪头 Xitou, Yangjiang		W
乌灰银鸥 <i>L. fuscus heuglini</i>	中国鸟类学会 2008	汕头 Shantou		W/P
鸥嘴噪鸥 <i>Gelochelidon nilotica affinis</i>	La Touche 1892	汕头 Shantou	WD	P/S/W
*红嘴巨鸥 <i>Hydroprogne caspia</i>	La Touche 1892	汕头 Shantou		P/W/S
大凤头燕鸥 <i>Thalasseus bergii cristatus</i>	La Touche 1892	汕头 Shantou	UN	S/P
白额燕鸥 <i>Sternula albifrons sinensis</i>	La Touche 1892	汕头 Shantou	WD	S/P/W
*白腰燕鸥 <i>Onychoprion aleuticus</i>	Martinez (unpub MS) 2012	阳江溪头 Xitou, Yangjiang		P
褐翅燕鸥 <i>O. anaethetus anaethetus</i>	Lewthwaite 1992	广东水域 Guangdong coastal waters	OR	S
粉红燕鸥 <i>Sterna dougallii bangsi</i>	La Touche 1892	汕头 Shantou	OR	S
黑枕燕鸥 <i>S. sumatrana sumatrana</i>	La Touche 1892	汕头 Shantou	OR	S
普通燕鸥 <i>S. hirundo longipennis</i>	Cheng 1987	广东 Guangdong		P/W
<i>S. h. tibetana</i>	Lewthwaite (unpub MS) 2011	海丰 Haifeng		P
须浮鸥 <i>Chlidonias hybrida hybrida</i>	Jabouille 1935	湛江 Zhanjiang	WD	P/W/S
白翅浮鸥 <i>C. leucopterus</i>	La Touche 1892	汕头 Shantou	PR	P/W/S
*中贼鸥 <i>Stercorarius pomarinus</i>	Lewthwaite 1992	广东水域 Guangdong coastal waters		P
*短尾贼鸥 <i>S. parasiticus</i>	Martinez (unpub MS) 2013	惠阳大亚湾 Dayawan, Huiyang		P
长尾贼鸥 <i>S. longicaudus pallescens</i>	Lamont 1990	广东水域 Guangdong coastal waters		P
斑海雀 <i>Brachyramphus perdix</i>	张春兰等 2005	海丰 Haifeng		W
扁嘴海雀 <i>Synthliboramphus antiquus antiquus</i>	Martinez (unpub MS) 2014	阳江溪头 Xitou, Yangjiang		P
*原鸽 <i>Columba livia</i>	Welch (unpub MS) 2006	梅州 Meizhou		R
山斑鸠 <i>Streptopelia orientalis orientalis</i>	Swinhoe 1861a	汕头 Shantou	WD	W/P/R
*灰斑鸠 <i>Streptopelia decaocto decaocto</i>	Martinez (unpub MS) 2012	大亚湾 Dayawan		R
火斑鸠 <i>S. tranquebarica humilis</i>	Swinhoe 1870a	硇洲岛 Naozhou Island	OR	S/P/W
珠颈斑鸠 <i>Spilopelia chinensis chinensis</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
斑尾鹃鸠 <i>Macropygia unchall minor</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang		W/P
绿翅金鸠 <i>Chalcophaps indica indica</i>	周宇垣等 1981	鼎湖山 Dinghushan	OR	R
绿皇鸠 <i>Ducula aenea sylvatica</i>	周宇垣 1955	博罗罗浮山 Luofushan, Boluo	OR	R
褐翅鹃鸠 <i>Centropus sinensis sinensis</i>	Swinhoe 1861b	广州 Guangzhou	OR	R
小鸦鹃 <i>C. bengalensis lignator</i>	La Touche 1892	汕头 Shantou	OR	R
绿嘴地鹃 <i>Phoenicophaeus tristis tristis</i>	Jabouille 1935	湛江 Zhanjiang	OR	R
*红翅凤头鹃 <i>Clamator coromandus</i>	Vaughan et al. 1913	三水 Sanshui	OR	S/P
噪鹛 <i>Eudynamys scolopaceus chinensis</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
*翠金鹃 <i>Chrysococcyx maculatus</i>	Stevens (unpub MS) 2002	乳阳八宝山 Babaoshan, Ruyang		P
八声杜鹃 <i>Cacomantis merulinus querulus</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
乌鹃 <i>Surniculus dicruroides barussarum</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S
*鵙鹛 <i>Hierococcyx sparverioides</i>	La Touche 1892	梅州太阳山 Taiyangshan, Meizhou	OR	S
*北鵙鹛 <i>H. hyperythrus</i>	Yen 1932	广东北部 North Guangdong		P
*霍氏鵙鹛 <i>H. nisicolor</i>	Mell 1922	广州 Guangzhou	OR	S

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*小杜鹃 <i>Cuculus poliocephalus</i>	Yen 1932	广东北部 North Guangdong	WD	S
四声杜鹃 <i>C. micropterus micropterus</i>	La Touche 1892	汕头 Shantou	WD	S
*中杜鹃 <i>C. saturatus</i>	Mell 1922	广州 Guangzhou	WD	S
*北方中杜鹃 <i>C. optatus</i>	Mell 1922	广州 Guangzhou	P	
大杜鹃 <i>C. canorus bakeri</i>	La Touche 1892	汕头 Shantou	WD	S
草鸮 <i>Tyto longimembris chinensis</i>	Mell 1922	广东南部 South Guangdong	W	
黄嘴角鸮 <i>Otus spilocephalus latouchii</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	R
西领角鸮 <i>O. lettia erythrocampa</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
红角鸮 <i>O. sunia stictonotus</i>	Swinhoe 1863b	广东 Guangdong	P/W	
<i>O. s. malayanus</i>	Yen 1932	广东北部 North Guangdong	WD	R
雕鸮 <i>Bubo bubo kiautschensis</i>	Streich 1903	汕头 Shantou	PR	R
褐渔鸮 <i>Ketupa zeylonensis orientalis</i>	Mell 1922	仁化 Renhua	OR	R
*黄脚渔鸮 <i>K. flavigipes</i>	Vaurie 1965	广东 Guangdong	OR	R
褐林鸮 <i>Strix leptogrammica ticehursti</i>	华南濒危动物研究所 1991	大埔 Dapu	OR	R
灰林鸮 <i>S. nivicolum nivicolum</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	WD	R
领鸺鹠 <i>Glaucidium brodiei brodiei</i>	Mell 1922	广东北部 North Guangdong	OR	R
斑头鸺鹠 <i>G. cuculoides whiteleyi</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
鹰鸮 <i>Ninox scutulata burmanica</i>	Streich 1903	汕头 Shantou	OR	R
北鹰鸮 <i>N. japonica japonica</i>	La Touche 1892	汕头 Shantou	P	
长耳鸮 <i>Asio otus otus</i>	Mell 1922	广东南部 South Guangdong	W	
短耳鸮 <i>A. flammeus flammeus</i>	Swinhoe 1865b	广东 Guangdong	W	
普通夜鹰 <i>Caprimulgus jotaka jotaka</i>	Swinhoe 1870a	硇洲岛 Naozhou Island	WD	S/P
林夜鹰 <i>C. affinis amoyensis</i>	Streich 1903	汕头 Shantou	OR	R/S
短嘴金丝燕 <i>Aerodramus brevirostris inornatus</i>	Lee et al. 2006	罗坑 Luokeng	OR	P/S
白喉针尾雨燕 <i>Hirundapus caudacutus caudacutus</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	P	
*灰喉针尾雨燕 <i>H. cochinchinensis</i>	Lewthwaite 1996	鼎湖山 Dinghushan	P	
白腰雨燕 <i>Apus pacificus kanoii</i>	Streich 1903	汕头 Shantou	WD	P/S
<i>A. p. pacificus</i>	郑作新 1976	广东 Guangdong	P	
小白腰雨燕 <i>A. nipalensis nipalensis</i>	La Touche 1892	汕头 Shantou	OR	S/P/R
红头咬鹃	Mell 1922	广东北部 North Guangdong	OR	R
<i>Harpactes erythrocephalus yamakanensis</i>	Swinhoe 1861a	广州黄埔 Huangpu, Guangzhou	OR	S/P
三宝鸟 <i>Eurystomus orientalis cyanocollis</i>	Mell 1922	广州 Guangzhou	W	
赤翡翠 <i>Halcyon coromanda major</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
白胸翡翠 <i>H. smyrnensis fokiensis</i>	Swinhoe 1870a	广州 Guangzhou	W/P	
*蓝翡翠 <i>H. pileata</i>	Swinhoe 1861a	广州 Guangzhou	R/P	
普通翠鸟 <i>Alcedo atthis bengalensis</i>	Streich 1903	车八岭 Chebaling	OR	R
*斑头大翠鸟 <i>A. hercules</i>	陈万成等 1993	汕头 Shantou	OR	R
冠鱼狗 <i>Megaceryle lugubris guttulata</i>	La Touche 1892	广州 Guangzhou	OR	R
斑鱼狗 <i>Ceryle rudis insignis</i>	Swinhoe 1861a	汕头 Shantou	OR	R
栗喉蜂虎 <i>Merops philippinus javanicus</i>	Swinhoe 1865a	汕头 Shantou	OR	S/P
蓝喉蜂虎 <i>M. viridis viridis</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S
戴胜 <i>Upupa epops epops</i>	Swinhoe 1863b	广东 Guangdong	WD	R
大拟啄木鸟 <i>Megalaima virens virens</i>	Swinhoe 1863b	广州附近 Near Guangzhou	OR	R
黄纹拟啄木鸟 <i>M. faiosticta praetermissa</i>	Baker 1919	硇洲岛 Naozhou Island	OR	R
黑眉拟啄木鸟 <i>M. faber sini</i>	Lewthwaite 1996	鼎湖山 Dinghushan	OR	R
蚁䴕 <i>Jynx torquilla chinensis</i>	La Touche 1892	汕头 Shantou	W/P	
斑姬啄木鸟 <i>Picumnus innominatus chinensis</i>	Mell 1922	广东北部 North Guangdong	OR	R
白眉棕啄木鸟 <i>Sasia ochracea kinneari</i>	金孟洁等 2013	封开黑石顶 Heishiding, Fengkai	OR	R
星头啄木鸟 <i>Dendrocopos canicapillus nagamichi</i>	Mell 1922	博罗罗浮山 Luofushan, Boluo	OR	R
大斑啄木鸟 <i>D. major mandarinus</i>	Swinhoe 1861a	广州 Guangzhou	WD	R
灰头绿啄木鸟 <i>Picus canus sobrinus</i>	La Touche 1892	汕头 Shantou	WD	R
竹啄木鸟 <i>Gecinulus grantia viridanus</i>	Mell 1922	仁化万石山 Wanshishan, Renhua	OR	R
黄嘴栗啄木鸟 <i>Blythipicus pyrrhotis sinensis</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	R
栗啄木鸟 <i>Micropternus brachyurus fokiensis</i>	La Touche 1892	汕头 Shantou	OR	R
*白腿小隼 <i>Microhierax melanoleucus</i>	Mell 1922	仁化长江镇 Changjiangzhen, Renhua	OR	R
红隼 <i>Falco tinunculus interstinctus</i>	Swinhoe 1864	汕头 Shantou	WD	W/P/S
*红脚隼 <i>F. amurensis</i>	Vaughan et al. 1913	西江 West River	P	
灰背隼 <i>F. columbarius insignis</i>	Swinhoe 1873	汕头 Shantou	W	
燕隼 <i>F. subbuteo streichii</i>	La Touche 1892	汕头 Shantou	PR	S/P
游隼 <i>F. peregrinus calidus</i>	La Touche 1892	汕头 Shantou		W/P

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
<i>F. p. peregrinator</i>	Yen 1932	广东北部 North Guangdong	UN	R/W
<i>F. p. japonensis</i>	Vaurie 1965	广东 Guangdong		W
*红领绿鹦鹉 <i>Psittacula krameri borealis</i>	关勋等 1986	珠海万山群岛 Wanshan Islands, Zhuhai		R
*仙八色鸫 <i>Pitta nympha</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S/P
*蓝翅八色鸫 <i>P. moluccensis</i>	中国鸟类学会 2009	深圳福田 Futian, Shenzhen		P
钩嘴林鵙 <i>Tephrodornis virgatus latouchei</i>	华南濒危动物研究所 1991	大埔 Dapu	OR	R
*灰燕鵙 <i>Artamus fuscus</i>	Lewthwaite (unpub MS) 2009	乳阳八宝山 Babaoshan, Ruyang		P
大鹃鵙 <i>Coracina macei rexpineti</i>	Mell 1922	仁化万石山 Wanshishan, Renhua	OR	R
暗灰鹃鵙 <i>C. melaschistos intermedia</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
粉红山椒鸟 <i>Pericrocotus roseus</i>	Vaughan et al. 1913	西江 West River	OR	S
*小灰山椒鸟 <i>P. cantonensis</i>	Swinhoe 1861a	广州 Guangzhou		P/W
*灰山椒鸟 <i>P. divaricatus</i>	Swinhoe 1861a	广州 Guangzhou		P/W
灰喉山椒鸟 <i>P. solaris griseogularis</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	R
短嘴山椒鸟 <i>P. brevirostris anthoides</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	R
赤红山椒鸟 <i>P. speciosus foehniensis</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	R
*虎纹伯劳 <i>Lanius tigrinus</i>	Vaughan et al. 1913	三水 Sanshui		P
牛头伯劳 <i>L. bucephalus bucephalus</i>	Streich 1903	汕头 Shantou		W/P
红尾伯劳 <i>L. cristatus lucionensis</i>	La Touche 1892	汕头 Shantou		P/W
<i>L. c. cristatus</i>	Streich 1903	汕头 Shantou		P/W
<i>L. c. superciliosus</i>	Vaughan et al. 1913	鼎湖山 Dinghushan		P
<i>L. c. confusus</i>	Martinez (unpub MS) 2013	电白 Dianbai		P
栗背伯劳 <i>L. colluriooides colluriooides</i>	Vaughan et al. 1913	德庆 Deqing	OR	P/S/W
棕背伯劳 <i>L. schach schach</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
白腹凤鹛 <i>Erpornis zantholeuca griseiloris</i>	Mell 1922	韶关小坑 Xiaokeng, Shaoguan	OR	R
红翅凤鹛 <i>Pteruthius aeralatus ricketti</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
黑枕黄鹂 <i>Oriolus chinensis diffusus</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P
鹊色鹂 <i>O. mellianus</i>	Stresemann 1922	曲江龙头山 Longtoushan, Qujiang	OR	S/P
黑卷尾 <i>Dicrurus macrocercus cathoecus</i>	La Touche 1892	汕头 Shantou	OR	S/P/W
灰卷尾 <i>D. leucophaeus leucogenys</i>	Swinhoe 1863b	广东 Guangdong	OR	W/P/S
<i>D. l. salangensis</i>	Vaughan et al. 1913	德庆 Deqing		P
<i>D. l. hopwoodi</i>	Jabouille 1935	湛江 Zhanjiang		P
*鸦嘴卷尾 <i>D. annectans</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S
古铜色卷尾 <i>D. aeneus aeneus</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S
发冠卷尾 <i>D. hottentottus brevirostris</i>	La Touche 1892	汕头 Shantou	OR	S/P/W
黑枕王鹟 <i>Hypothymis azurea styanii</i>	华南濒危动物研究所 1991	广东 Guangdong		W/P
寿带 <i>Terpsiphone paradisi incerti</i>	La Touche 1892	汕头 Shantou	OR	P/S
紫寿带 <i>T. atrocaudata atrocaudata</i>	Swinhoe 1866	汕头 Shantou		P
松鸦 <i>Garrulus glandarius sinensis</i>	Swinhoe 1863b	广东 Guangdong	PR	R
*灰喜鹊 <i>Cyanopica cyanus swinhonis</i>	中国鸟类学会 2009	广州白云山 Baiyunshan, Guangzhou		R
红嘴蓝鹊 <i>Urocissa erythrorhyncha erythrorhyncha</i>	La Touche 1892	汕头 Shantou	OR	R
灰树鹊 <i>Dendrocitta formosae sinica</i>	La Touche 1892	汕头 Shantou	OR	R
喜鹊 <i>Pica pica serica</i>	Swinhoe 1867	广东 Guangdong	WD	R
达乌里寒鸦 <i>Coloeus dauuricus</i>	Mell 1922	仁化万石山 Wanshishan, Renhua		W
秃鼻乌鸦 <i>Corvus frugilegus pastinator</i>	Vaughan et al. 1913	鼎湖山 Dinghushan		P
小嘴乌鸦 <i>C. corone orientalis</i>	Swinhoe 1870a	瑙州岛 Naozhou Island		W
*白颈鸦 <i>C. torquatus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
大嘴乌鸦 <i>C. macrorhynchos colonorum</i>	Swinhoe 1863b	汕头 Shantou	WD	R
方尾鹟 <i>Culicicapa ceylonensis calochrysea</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	S/W
黄眉林雀 <i>Sylviparus modestus modestus</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
*黄腹山雀 <i>Pardaliparus venustulus</i>	Mell 1922	仁化丹霞山 Danxiashan, Renhua	OR	W/R
杂色山雀 <i>Sittiparus varius varius</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	UN	R/P
远东山雀 <i>Parus minor commixtus</i>	Swinhoe 1861a	广州 Guangzhou	WD	R
<i>P. m. minor</i>	La Touche 1892	汕头 Shantou		R
黄颊山雀 <i>Machlolophus spilonotus rex</i>	廖维平 1982	鼎湖山 Dinghushan	OR	R
*中华攀雀 <i>Remiz consobrinus</i>	刘忠宝等 2006	深圳 Shenzhen		P/W
歌百灵 <i>Mirafra javanica williamsoni</i>	Jabouille 1935	湛江 Zhanjiang	OR	R
小云雀 <i>Alauda gulgula coelivox</i>	Swinhoe 1863a	广东 Guangdong	OR	R/P/W
<i>A. g. sala</i>	郑作新 1976	湛江 Zhanjiang		R
云雀 <i>A. arvensis intermedia</i>	Vaughan et al. 1913	三水 Sanshui		W/P

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
领雀嘴鹎 <i>Spizixos semitorques semitorques</i>	Mell 1922	广东北部 North Guangdong	OR	R
红耳鹎 <i>Pyconotus jocosus jocosus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
黄臀鹎 <i>P. xanthorrhous andersoni</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	R
白头鹎 <i>P. sinensis sinensis</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
<i>P. s. hainanus</i>	Swinhoe 1870a	璐州岛 Naozhou Island		R/W/P
白喉红臀鹎 <i>P. aurigaster chrysorrhooides</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
<i>P. a. resurrectus</i>	Hachisuka 1939	璐州岛 Naozhou Island		R
绿翅短脚鹎 <i>Ixos mcclellandii holtii</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
栗背短脚鹎 <i>Hemixos castanonotus canipennis</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
黑短脚鹎 <i>Hypsipetes leucocephalus leucocephalus</i>	Swinhoe 1864	汕头 Shantou	OR	R/S/W
崖沙燕 <i>Riparia riparia ijimae</i>	Vaughan et al. 1913	三水 Sanshui		P
淡色沙燕 <i>R. diluta fohkienensis</i>	Yen 1932	广东北部 North Guangdong		P/W
家燕 <i>Hirundo rustica gutturalis</i>	Swinhoe 1861a	广州 Guangzhou	WD	S/P/R
白腹毛脚燕 <i>Delichon urbicum lagopodum</i>	中国鸟类学会 2009	海丰 Haifeng		P
烟腹毛脚燕 <i>D. dasypus nigrimentale</i>	Mell 1922	仁化丹霞山 Danxiashan, Renhua	PR	S/P
金腰燕 <i>Cecropis daurica japonica</i>	La Touche 1892	汕头 Shantou	WD	S/P/W
小鳞胸鹪鹛 <i>Phoenopyga pusilla pusilla</i>	Mell 1922	博罗罗浮山 Luofushan, Boluo	OR	R
黄腹鹟莺 <i>Abroscopus superciliaris superciliaris</i>	Martinez (unpub MS) 2013	茂名 Maoming		W
棕脸鹟莺 <i>A. albogularis fulvifacies</i>	华南濒危动物研究所 1991	不详 Not clear	OR	R
金头缝叶莺 <i>Phylloscartes cucullatus coronatus</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R/P/W
日本树莺 <i>Horornis diphone canturians</i>	La Touche 1892	汕头 Shantou		W/P
*远东树莺 <i>H. borealis</i>	Martinez (unpub MS) 2013	阳江溪头 Xitou, Yangjiang		W
强脚树莺 <i>H. fortipes davidianus</i>	La Touche 1892	汕头 Shantou	OR	R/W
黄腹树莺 <i>H. acanthizoides acanthizoides</i>	Fellowes et al. 1997	大雾岭 Dawulung	OR	P/S
*鳞头树莺 <i>Urosphena squameiceps</i>	Swinhoe 1863b	广州 Guangzhou		W/P
淡脚树莺 <i>U. pallidipes laurentiae</i>	Martinez (unpub MS) 2012	湛江南山岛 Nanshan Island, Zhanjiang		P
红头长尾山雀 <i>Aegithalos concinnus concinnus</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
褐柳莺 <i>Phylloscopus fuscatus fuscatus</i>	Swinhoe 1861a	广州 Guangzhou		W/P
*棕腹柳莺 <i>P. subaffinis</i>	Mell 1922	乳源 Ruyan	OR	S
*巨嘴柳莺 <i>P. schwarzi</i>	Gressit 1940a	广州 Guangzhou		P/W
*云南柳莺 <i>P. yunnanensis</i>	Martinez (unpub MS) 2012	湛江湖光岩 Huguangyan, Zhanjiang		W
*黄腰柳莺 <i>P. proregulus</i>	Swinhoe 1870a	璐州岛 Naozhou Island		W/P
*黄眉柳莺 <i>P. inornatus</i>	Swinhoe 1870a	璐州岛 Naozhou Island		W/P
极北柳莺 <i>P. borealis borealis</i>	La Touche 1892	汕头 Shantou		P
*日本柳莺 <i>P. xanthodryas</i>	Vaughan et al. 1913	珠江河口 Pearl River Estuary		P
*双斑绿柳莺 <i>P. plumbeitarsus</i>	Jabouille 1935	湛江东海岛 Donghai Island, Zhanjiang		P/W
*淡脚柳莺 <i>P. tenellipes</i>	La Touche 1892	汕头 Shantou		P
*库页岛柳莺 <i>P. borealooides</i>	Martinez (unpub MS) 2013	阳江溪头 Xitou, Yangjiang		P
*冕柳莺 <i>P. coronatus</i>	La Touche 1892	汕头 Shantou		P
华南冠纹柳莺 <i>P. goodsoni goodsoni</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	UN	S/W
峨眉柳莺 <i>P. emeiensis</i>	中国鸟类学会 2008	乳阳八宝山 Babaoshan, Ruyang	UN	S
白斑尾柳莺 <i>P. ogilviegranti ogilviegranti</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S/W
*黑眉柳莺 <i>P. ricketti</i>	Yen 1932	广东北部 North Guangdong	OR	S/W
白眶鹟莺 <i>Seicercus affinis intermedius</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S/W
*灰冠鹟莺 <i>S. tephrocephalus</i>	Martinez (unpub MS) 2012	乳阳八宝山 Babaoshan, Ruyang	PR	S
比氏鹟莺 <i>S. valentini latouchei</i>	La Touche 1892	梅州太阳山 Taiyangshan, Meizhou	OR	S/W
*淡尾鹟莺 <i>S. soror</i>	中国鸟类学会 2009	中山大学校园 Campus of Sun Yat-sen University		P/W
栗头鹟莺 <i>S. castaneiceps sinensis</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S/W
*东方大苇莺 <i>Acrocephalus orientalis</i>	Swinhoe 1861a	广州 Guangzhou		P/W
*黑眉苇莺 <i>A. bistrigiceps</i>	La Touche 1892	汕头 Shantou		P/W
钝翅苇莺 <i>A. concinens concinens</i>	Mell 1922	广州 Guangzhou	UN	S
厚嘴苇莺 <i>Iduna aedon rufescens</i>	Mell 1922	佛山 Foshan		P/W
高山短翅莺 <i>Locustella mandelli melanorhyncha</i>	Yen 1932	广东北部 North Guangdong	OR	S/W
棕褐短翅莺 <i>L. luteoventris luteoventris</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S/W
矛斑蝗莺 <i>L. lanceolata lanceolata</i>	Swinhoe 1863a	广州 Guangzhou		P
*史氏蝗莺 <i>L. pleskei</i>	La Touche 1892	汕头 Shantou		P
小蝗莺 <i>L. certhiola rubescens</i>	Swinhoe 1861a	珠江 Pearl River		P
棕扇尾莺 <i>Cisticola juncidis tinnavulans</i>	Swinhoe 1861a	广州 Guangzhou	OR	W/S
金头扇尾莺 <i>C. exilis courtoisi</i>	华南濒危动物研究所 标本	连县 Lianxian		P/W

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
山鹪莺 <i>Prinia crinigera parumstriata</i>	Mell 1922	仁化万石山 Wanshishan, Renhua	OR	R
黑喉山鹪莺 <i>P. supercilialis supercilialis</i>	Mell 1922	广东 Guangdong	OR	R
暗冕鹪莺 <i>P. rufescens rufescens</i>	Lewthwaite 1996	鼎湖山 Dinghushan	OR	R
黄腹鹪莺 <i>P. flavigaster sonitans</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
纯色鹪莺 <i>P. inornata extensicauda</i>	Swinhoe 1861a	广州黄埔 Huangpu, Guangzhou	OR	R
长尾缝叶莺 <i>Orthotomus sutorius longicauda</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
*华南斑胸钩嘴鹛 <i>Pomatorhinus swinhonis</i>	Mell 1922	广东北部 North Guangdong	OR	R
棕颈钩嘴鹛 <i>P. ruficollis stridulus</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
斑颈穗鹛 <i>Stachyris striolata tonkinensis</i>	周宇垣等 1981	鼎湖山 Dinghushan	OR	R
红头穗鹛 <i>Stachyridopsis ruficeps davidi</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
红顶鹛 <i>Timalia pileata smithi</i>	Vaughan et al. 1913	德庆 Deqing	OR	R
褐顶雀鹛 <i>Alcippe brunnea superciliaris</i>	Mell 1922	广东北部 North Guangdong	OR	R
黑眉雀鹛 <i>A. huetti huetti</i>	Slater 1891	汕头附近 Near Shantou	OR	R
大草莺 <i>Graminicola striatus sinicus</i>	Stresemann 1923	韶关小坑 Xiaokeng, Shaoguan	OR	R
矛纹草鹛 <i>Babax lanceolatus latouchei</i>	Yen 1932	广东北部 North Guangdong	OR	R
画眉 <i>Garrulax canorus canorus</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
褐胸噪鹛 <i>G. maesi maesi</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
灰翅噪鹛 <i>G. cinereaceus cinereiceps</i>	Mell 1922	仁化万石山 Wanshishan, Renhua	OR	R
*黑脸噪鹛 <i>G. perspicillatus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
小黑领噪鹛 <i>G. monileger mellii</i>	Stresemann 1923	仁化万石山 Wanshishan, Renhua	OR	R
黑领噪鹛 <i>G. pectoralis picticollis</i>	Mell 1922	广东 Guangdong	OR	R
黑喉噪鹛 <i>G. chinensis chinensis</i>	周宇垣等 1981	鼎湖山 Dinghushan	OR	R
棕噪鹛 <i>G. berthemyi berthemyi</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
白颊噪鹛 <i>G. sannio sannio</i>	La Touche 1892	汕头附近 Near Shantou	OR	R
赤尾噪鹛 <i>Trochalopteron milnei sinianum</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
*蓝翅希鹛 <i>Minla cyanouroptera</i>	Woodward et al. 1996	广州白云山 Baiyunshan, Guangzhou	R	R
红嘴相思鸟 <i>Leiothrix lutea kwangtungensis</i>	Vaughan et al. 1913	博罗罗浮山 Luofushan, Boluo	OR	R
金胸雀鹛 <i>Lioparus chrysotis swinhonis</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
褐头雀鹛 <i>Fulvetta cinereiceps guttaticollis</i>	Mell 1922	仁化万石山 Wanshishan, Renhua	W	R
金眼鹛雀 <i>Chrysomma sinense sinense</i>	Vaughan et al. 1913	德庆 Deqing	OR	R
棕头鸦雀 <i>Sinosuthora webbiana suffusa</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	R
金色鸦雀 <i>Suthora verreauxi pallida</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
短尾鸦雀 <i>Neosuthora davidiana davidiana</i>	Lee et al. 2006	怀集三岳 Shanyueyue, Huaiji	OR	R
灰头鸦雀 <i>Psittiparus gularis fokiensis</i>	Yen 1932	广东东北部 North Guangdong	OR	R
*点胸鸦雀 <i>Paradoxornis guttaticollis</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	R
栗颈凤鹛 <i>Yuhina torqueola</i>	Mell 1922	广东 Guangdong	OR	R/W
黑额凤鹛 <i>Y. nigrimenta pallida</i>	Holt (unpub MS) 2010	乳阳八宝山 Babaoshan, Ruyang	OR	S
*红胁绣眼鸟 <i>Zosterops erythropleurus</i>	中国鸟类学会 In prep	广州越秀山 Yuexishan, Guangzhou	P/W	
暗绿绣眼鸟 <i>Z. japonicus simplex</i>	Swinhoe 1861a	广州 Guangzhou	OR	R/S/W/
鹟鹛 <i>Troglodytes troglodytes idius</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	W	
普通䴓 <i>Sitta europaea sinensis</i>	Rickett (unpub MS) 1898	五华长乐 Changle, Wuhua	W	
*绒额䴓 <i>Sitta frontalis frontalis</i>	Lewthwaite 1996	鼎湖山 Dinghushan	R	
八哥 <i>Acridotheres cristatellus cristatellus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
*家八哥 <i>A. tristis tristis</i>	郑作新 1976	广东 Guangdong	R	
丝光椋鸟 <i>Spodiopsar sericeus</i>	Swinhoe 1863b	广东 Guangdong	OR	W/S
*灰椋鸟 <i>S. cineraceus</i>	Swinhoe 1865b	汕头 Shantou	UN	W/S
*黑领椋鸟 <i>Gracupica nigricollis</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
*北椋鸟 <i>Agropsar sturninus</i>	Vaughan et al. 1913	三水 Sanshui	P	
*紫背椋鸟 <i>A. philippensis</i>	中国鸟类学会 2007	深圳 Shenzhen	P	
*灰背椋鸟 <i>Sturnia sinensis</i>	Swinhoe 1861a	广州 Guangzhou	OR	S/P/W
紫翅椋鸟 <i>Sturnus vulgaris poltaratskyi</i>	Lewthwaite (unpub MS) 2012	电白 Dianbai	W	
橙头地鸫 <i>Geokichla citrina mellii</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang	OR	S/P/W
白眉地鸫 <i>G. sibirica sibirica</i>	Swinhoe 1861a	广州黄埔 Huangpu, Guangzhou	P/W	
光背地鸫 <i>Zoothera mollissima griseiceps</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	P	
怀氏虎鸫 <i>Z. aurea aurea</i>	La Touche 1892	汕头 Shantou	W/P	
*灰背鸫 <i>Turdus hortulorum</i>	Swinhoe 1863b	广东 Guangdong	W/P	
*黑胸鸫 <i>T. dissimilis</i>	Martinez (unpub MS) 2013	湛江湖光岩 Huguangyan, Zhanjiang	P	
*乌灰鸫 <i>T. cardis</i>	La Touche 1892	汕头附近 Near Shantou	W/P	
*灰翅鸫 <i>T. boulboul</i>	Hayman (unpub MS) 2001	乳阳八宝山 Babaoshan, Ruyang	P	
乌鸫 <i>T. merula mandarinus</i>	Swinhoe 1861a	广州 Guangzhou	WD	R/W/P

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
*白眉鵙 <i>T. obscurus</i>	La Touche 1892	汕头 Shantou		P/W
*白腹鵙 <i>T. pallidus</i>	La Touche 1892	汕头 Shantou		W/P
*赤胸鵙 <i>T. chrysolaus</i>	La Touche 1892	汕头 Shantou		W/P
*斑鵙 <i>T. eunomus</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang		W/P
*宝兴歌鵙 <i>T. mupinensis</i>	Martinez (unpub MS) 2012	湛江湖光岩 Huguangyan, Zhanjiang		W
鹟 <i>Copsychus saularis prosthopellus</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
*灰纹鹟 <i>Muscicapa griseisticta</i>	La Touche 1892	梅州太阳山 Taiyangshan, Meizhou		P
乌鹟 <i>M. sibirica sibirica</i>	Streich 1903	汕头 Shantou		P
<i>M. s. rothschildi</i>	Yen 1932	广东北部 North Guangdong		P
北灰鹟 <i>M. latirostris latirostris</i>	Swinhoe 1861a	广州 Guangzhou		P/W
*褐胸鹟 <i>M. muttui</i>	中国鸟类学会 2008	佛岗观音山 Guanyinshan, Fogang	OR	S/P
*棕尾褐鹟 <i>M. ferruginea</i>	La Touche 1892	汕头 Shantou		P
*海南蓝仙鹟 <i>Cyornis hainanus</i>	Slater 1891	梅州太阳山 Taiyangshan, Meizhou	OR	S/P/W
纯蓝仙鹟 <i>C. unicolor unicolor</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S
山蓝仙鹟 <i>C. banyumas whitei</i>	Robson 2000	深圳大鹏 Dapeng, Shenzhen		P
*中华仙鹟 <i>C. glaucomans</i>	Viney 1987	黑石顶 Heishiding		P
*白喉林鹟 <i>C. brunneatus</i>	Yen 1932	广东北部 North Guangdong	OR	S/P
*棕腹大仙鹟 <i>Niltava davidi</i>	Lewthwaite 1996	鼎湖山 Dinghushan		W
棕腹仙鹟 <i>N. sundara denotata</i>	中国鸟类学会 2006	广州龙洞 Longdong, Guangzhou		P/W
小仙鹟 <i>N. macgrigoriae signata</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S/W
白腹姬鹟 <i>Cyanoptila cyanomelana cyanomelana</i>	Swinhoe 1861a	广州 Guangzhou		P
铜蓝鹟 <i>Eumyiias thalassinus thalassinus</i>	Yen 1932	广东北部 North Guangdong	OR	S/W/P
白喉短翅鹟 <i>Brachypteryx leucophris caroliniae</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R/W
蓝短翅鹟 <i>B. montana sinensis</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
蓝歌鸲 <i>Larvivora cyane cyane</i>	Swinhoe 1863b	广东 Guangdong		P
*红尾歌鸲 <i>L. sibilans</i>	Vaughan et al. 1913	广东 Guangdong		P/W
日本歌鸲 <i>L. akahige akahige</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang		W/P
蓝喉歌鸲 <i>Luscinia svecica svecica</i>	Vaughan et al. 1913	西江 West River		W/P
红喉歌鸲 <i>Calliope calliope calliope</i>	La Touche 1892	汕头 Shantou		P/W
白尾蓝地鸲 <i>Myiomela leucura leucura</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S/P
*红胁蓝尾鹟 <i>Tarsiger cyanurus</i>	La Touche 1892	汕头 Shantou		W/P
*小燕尾 <i>Enicurus scouleri</i>	La Touche 1892	汕头附近 near Shantou	OR	R
*灰背燕尾 <i>E. schistaceus</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	R
白冠燕尾 <i>E. leschenaulti sinensis</i>	La Touche 1892	汕头附近 near Shantou	OR	R
斑背燕尾 <i>E. maculatus bacatus</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	R
紫啸鹟 <i>Myophonus caeruleus caeruleus</i>	La Touche 1892	汕头 Shantou	OR	R
*白眉姬鹟 <i>Ficedula zanthopygia</i>	Vaughan et al. 1913	北江 North River		P
黄眉姬鹟 <i>F. narcissina narcissina</i>	Swinhoe 1861a	广州 Guangzhou		P
<i>F. n. owstoni</i>	王英永等 2007	中山大学校园 Campus of Sun Yat-sen University		P
*绿背姬鹟 <i>F. elisae</i>	中国鸟类学会 2006	中山大学校园 Campus of Sun Yat-sen University		P
*鹟姬鹟 <i>F. mugimaki</i>	Swinhoe 1870a	瑙州岛 Naozhou Island		P/W
橙胸姬鹟 <i>F. strophiata strophiata</i>	Lewthwaite 1996	鼎湖山 Dinghushan		W/P
*红胸姬鹟 <i>F. parva</i>	Martinez (unpub MS) 2012	阳江溪头 Xitou, Yangjiang		W
*红喉姬鹟 <i>F. albicilla</i>	Swinhoe 1863b	广东 Guangdong		P/W
北红尾鹟 <i>Phoenicurus auroreus auroreus</i>	Swinhoe 1865b	汕头 Shantou		W/P
<i>P. a. leucopterus</i>	Vaurie 1959	广东 Guangdong		P
蓝额红尾鹟 <i>P. frontalis</i>	张强 (unpub MS) 2012	乳阳八宝山 Babaoshan, Ruyang		P
红尾水鸲 <i>P. fuliginosus fuliginosus</i>	La Touche 1892	汕头附近 near Shantou	OR	R/P
*白顶溪鸲 <i>Chaimarrornis leucocephalus</i>	Yen 1932	广东北部 North Guangdong		W
蓝矶鸫 <i>Monticola solitarius philippensis</i>	Swinhoe 1865b	汕头 Shantou		P/W
<i>M. s. pandoo</i>	La Touche 1892	汕头 Shantou	UN	S/W
*栗腹矶鸫 <i>M. rufiventris</i>	Mell 1922	博罗罗浮山 Luofushan, Boluo	OR	R/W
*白喉矶鸫 <i>M. gularis</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang		P/W
*东亚石鵖 <i>Saxicola stejnegeri</i>	Swinhoe 1870a	瑙州岛 Naozhou Island		P/W
*灰林鵖 <i>S. ferreus</i>	La Touche 1892	汕头附近 near Shantou	OR	W/P/S
褐河鸟 <i>Cinclus pallasii pallasii</i>	La Touche 1892	汕头附近 near Shantou	OR	R
橙腹叶鹎 <i>Chloropsis hardwickii melliana</i>	Mell 1922	韶关小坑 Xiaokeng, Shaoguan	OR	R
纯色啄花鸟 <i>Dicaeum minullum olivaceum</i>	Vaughan et al. 1913	鼎湖山 Dinghushan	OR	R

物种 Species	文献来源 References	记录地点 Location	区系 Avifauna	居留 Migratory status
红胸啄花鸟 <i>D. ignipectus ignipectus</i>	La Touche 1892	汕头附近 near Shantou	OR	R
朱背啄花鸟 <i>D. cruentatum cruentatum</i>	La Touche 1892	汕头 Shantou	OR	R
黄腹花蜜鸟 <i>Cinnyris jugularis rhizophorae</i>	Jabouille 1935	湛江 Zhanjiang	OR	R
蓝喉太阳鸟 <i>Aethopyga gouldiae dabryii</i>	Lewthwaite 1996	乳阳八宝山 Babaoshan, Ruyang	OR	S/W
叉尾太阳鸟 <i>A. christinae latouchii</i>	Slater 1891	五华长布 Changbu, Wuhua	OR	R
黄腰太阳鸟 <i>A. siparaja owstoni</i>	Rothschild 1910	瑞州岛 Naozhou Island	OR	R
山麻雀 <i>Passer rutilans rutilans</i>	La Touche 1892	汕头 Shantou	WD	R
麻雀 <i>P. montanus saturatus</i>	Swinhoe 1861a	广州 Guangzhou	PR	R
白腰文鸟 <i>Lonchura striata swinhonis</i>	Swinhoe 1861a	广州 Guangzhou	OR	R
斑文鸟 <i>L. punctulata topela</i>	Swinhoe 1861a	广州黄埔 Huangpu, Guangzhou	OR	R
*栗腹文鸟 <i>Lonchura atricapilla atricapilla</i>	Swinhoe 1861a	广州 Guangzhou		R
*山鹡鸰 <i>Dendronanthus indicus</i>	La Touche 1892	汕头 Shantou		P/W
黄鹡鸰 <i>Motacilla tschutschensis macronyx</i>	Swinhoe 1863b	广东 Guangdong		P/W
<i>M. t. tschutschensis</i>	La Touche 1892	汕头 Shantou		P
<i>M. t. taivana</i>	La Touche 1892	汕头 Shantou		W/P
黄头鹡鸰 <i>M. citreola citreola</i>	Mell 1922	广东南部 South Guangdong		P/W
灰鹡鸰 <i>M. cinerea cinerea</i>	La Touche 1892	汕头 Shantou	PR	W/P/S
白鹡鸰 <i>M. alba ocularis</i>	Swinhoe 1870a	雷州半岛 Leizhou Peninsula		W/P
<i>M. a. leucopsis</i>	Swinhoe 1870a	瑞州岛 Naozhou Island	UN	R/W
<i>M. a. lugens</i>	La Touche 1892	汕头 Shantou		W/P
<i>M. a. baicalensis</i>	Mell 1922	韶关小坑 Xiaokeng, Shaoguan		W
<i>M. a. alboides</i>	Jabouille 1935	湛江东海岛 Donghai Island, Zhanjiang		W/P
*理氏鹨 <i>Anthus richardi</i>	Swinhoe 1870a	瑞州岛 Naozhou Island	PR	P/W/S
田鹨 <i>A. rufulus rufulus</i>	Yen 1930	广东北部 North Guangdong		P
*布氏鹨 <i>A. godlewskii</i>	Martinez (unpub MS) 2012	惠阳大亚湾 Dayawan, Huiyang		P
树鹨 <i>A. hodgsoni yunnanensis</i>	Swinhoe 1865b	汕头 Shantou		W/P
<i>A. h. hodgsoni</i>	周宇垣等 1981	鼎湖山 Dinghushan		V
北鹨 <i>A. gustavi gustavi</i>	La Touche 1892	汕头 Shantou		P
*红喉鹨 <i>A. cervinus</i>	Swinhoe 1861a	广州 Guangzhou		W/P
黄腹鹨 <i>A. rubescens japonicus</i>	La Touche 1925 - 1934	汕头 Shantou		P/W
水鹨 <i>A. spinolella blakistoni</i>	中国鸟类学会 2006	广州龙洞 Longdong, Guangzhou		W
*山鹨 <i>A. sylvanus</i>	华南濒危动物研究所 1991	广东海岸 Coast of Guangdong	OR	R
*燕雀 <i>Fringilla montifringilla</i>	关贯勋等 1986	担杆岛 Dangan Islands		W/P
黑尾蜡嘴雀 <i>Eophona migratoria migratoria</i>	Swinhoe 1861a	广州 Guangzhou		W/P
<i>E. m. sowerbyi</i>	孙泽伟等 2003	汕头南澳岛 Nanao Island, Shantou	UN	S
黑头蜡嘴雀 <i>E. personata magnirostris</i>	Mell 1922	韶关小坑 Xiaokeng, Shaoguan		W
褐灰雀 <i>Pyrrhula nipalensis ricketti</i>	Mell 1922	曲江龙头山 Longtoushan, Qujiang		W
普通朱雀 <i>Carpodacus erythrinus grebnitskii</i>	Mell 1922	韶关小坑 Xiaokeng, Shaoguan		W/P
金翅雀 <i>Chloris sinica sinica</i>	Swinhoe 1863b	广东 Guangdong	UN	R
*黄雀 <i>Spinus spinus</i>	La Touche 1892	潮州 Chaozhou		W
*凤头鹀 <i>Emberiza lathami</i>	Swinhoe 1865b	汕头 Shantou	OR	R
*蓝鹀 <i>E. siemsseni</i>	Mell 1922	曲江枫湾 Fengwan, Qujiang		W
三道眉草鹀 <i>E. cioides castaneiceps</i>	La Touche 1892	汕头 Shantou	PR	R/W
*白眉鹀 <i>E. tristrami</i>	Mell 1922	博罗罗浮山 Luofushan, Boluo		W
栗耳鹀 <i>E. fucata fucata</i>	La Touche 1892	汕头 Shantou		W
<i>E. f. kuatunensis</i>	La Touche 1892	汕头 Shantou		W
*小鹀 <i>E. pusilla</i>	Vaughan et al. 1913	三水 Sanshui		W/P
*黄眉鹀 <i>E. chrysophrys</i>	Mell 1922	广东 Guangdong		W/P
*田鹀 <i>E. rustica</i>	Laponder et al. (unpub MS) 1997	车八岭 Chebaling		P
黄喉鹀 <i>E. elegans elegans</i>	陈万成等 1993	车八岭 Chebaling		W
黄胸鹀 <i>E. aureola aureola</i>	Swinhoe 1861a	广州 Guangzhou		P/W
<i>E. a. ornata</i>	郑作新 1976	广东 Guangdong		P/W
*栗鹀 <i>E. rufila</i>	Vaughan et al. 1913	三水沙浦 Shapu, Sanshui		P/W
*硫磺鹀 <i>E. sulphurata</i>	关贯勋等 1986	珠海白藤湖 Baitenghu, Zhuhai		P
灰头鹀 <i>E. spodocephala spodocephala</i>	Swinhoe 1861a	广州 Guangzhou		W/P
<i>E. s. sordida</i>	Jabouille 1935	湛江 Zhanjiang		W
芦鹀 <i>E. schoeniclus pyrrhulina</i>	Martinez (unpub MS) 2009	深圳 Shenzhen		W

区系: 仅对在广东繁殖的鸟类标注区系类型, 并且不作亚种区分; OR. 东洋届; PR. 古北界; WD. 广布种; UN. 不清楚。居留: P. 迁徙过境鸟; R. 留鸟; S. 夏候鸟; W. 冬候鸟。* 记录来源于笼养鸟, 但已经在野外建立起稳定种群的鸟种; § 单型种。

Avifauna: Breeding species are shown in the Avifauna column; OR. Oriental realm; PR. Palaearctic realm; WD. Widely distributed; UN. Uncertain. Migratory status: P. Passage migrant; R. Resident; S. Summer visitor; W. Winter visitor. * Bird species of captive origins recorded, but may have self-sustaining populations at some localities in Guangdong. § Monotypic species.